

July 29, 2015

**BOARD OF COUNTY COMMISSIONERS
ORANGE COUNTY, FLORIDA
IFB #Y15-1142-JS
FIRE RESCUE AND HAZMAT SUPPLIES AND EQUIPMENT**

ADDENDUM NUMBER 1:

1. Please replace Bid Response Form pages 23 through 27 with the attached pages 23A through 27A.
2. All other terms and conditions remain unchanged.

ACKNOWLEDGEMENT OF ADDENDA

- a. The bidder shall acknowledge receipt of this addendum by completing the applicable section in the solicitation or by completion of the acknowledgement information on the addendum. Either form of acknowledgement must be completed and returned not later than the date and time for receipt of the bid.
- b. Receipt acknowledged by:

Authorized Signer

Date Signed

Title

Name of Bidder

**BID RESPONSE FORM
Y15-1142-JS
FIRE RESCUE AND HAZMAT SUPPLIES AND EQUIPMENT**

The contractor shall provide all labor and other resources necessary to provide the supplies, equipment and/or services in strict accordance with the specifications defined in this solicitation for the amounts specified in this Bid Response Form, inclusive of overhead, profit and any other costs.

Lots 1 through 86 are Percentage Discounts for Equipment and Parts, manufacturer's most recently published price list.

<u>LOT NO.</u>	<u>MANUFACTURER</u>	<u>% DISCOUNT</u>
1.	Ajax	_____
2.	Akron, parts	_____
3.	Akron, non-parts	_____
4.	Alco-Lite	_____
Delivery for Lots 1 through 4 shall be no later than 60 days ARO.		
5.	Amerex	_____
6.	American Firewear	_____
Delivery for Lots 5 and 6 shall be no later than 45 days ARO.		
7.	Amkus	_____
8.	Angus	_____
Delivery for Lots 7 and 8 shall be no later than 60 days ARO.		
9.	Black Diamond	_____
Delivery for Lot 9 shall be no later than 30 days ARO.		
10.	BlowHard Fans	_____
Delivery for Lot 10 shall be no later than 45 days ARO.		
11.	Brady Labelizer	_____

Delivery for Lot 11 shall be no later than 30 days ARO.

_____ Company Name

- 12. Bullard, head protection _____
- 13. Bullard, thermal imaging _____
- 14. Circle D _____
- 15. CMC _____
- 16. Drager, gas detection _____
- 17. Drager, respiratory _____
- 18. DuPont _____
- 19. Ergodyne _____
- 20. Firecom _____
- 21. Fire Hooks Unlimited _____
- 22. Garmin GPS _____

Delivery for Lots 12 through 22 shall be no later than 45 days ARO.

- 23. Globe _____
- 24. Globe Footwear _____
- 25. Globe Lifeline _____

Delivery for Lots 23 through 25 shall be no later than 30 days ARO.

- 26. Hale/Class 1, Category A, _____
- 27. Hale/Class 1, Category B, _____
- 28. Hale/Class 1, Category E, _____
- 29. Hale/Class 1, Category F, _____

Delivery for Lots 26 through 29 shall be no later than 60 days ARO.

- 30. Havis _____

Delivery for Lot 30 shall be no later than 45 days ARO.

Company Name

31. Honeywell, bunker gear _____

Delivery for Lot 31 shall be no later than 30 days ARO.

32. Honeywell, boots _____

33. Honeywell, helmets _____

34. Honeywell, accessories _____

35. Hubbell, wiring devices _____

36. Hurst, high pressure rescue equipment _____

37. Hurst, E-Draulic rescue equipment _____

38. Hurst, specialty rescue tools _____

39. Janesville/Lion _____

40. Kappler _____

41. Kocheck, fire hose _____

42. Kocheck, non fire hose _____

Delivery for Lots 32 through 42 shall be no later than 45 days ARO.

43. Life Liners _____

Delivery for Lot 43 shall be no later than 30 days ARO.

44. Mercedes, fire hose _____

45. Milwaukee Strap _____

46. MSA, thermal imaging _____

47. MSA Cairns _____

48. MTS _____

49. National Foams _____

50. Niedner, fire hose _____

51. Paratech _____

52. Partner Saws _____

Company Name

53. Paulson _____

Delivery for Lots 44 through 53 shall be no later than 45 days ARO.

54. PGI Cobra _____

55. PGI Fireline _____

Delivery for Lots 54 and 55 shall be no later than 30 days ARO.

56. Pigeon Mountain _____

57. Power Breezer _____

58. Protective Industrial Products _____

59. Radio Tech _____

60. RAE Systems _____

61. Red Head _____

62. Ringer Gloves _____

Delivery for Lots 56 through 62 shall be no later than 45 days ARO.

63. Saint-Gobain _____

Delivery for Lot 63 shall be no later than 60 days ARO.

64. Scott Safety, compressors _____

65. Scott Safety, respiratory (non-NPFA) _____

66. Scott Safety, SCBA (NFPA) _____

67. Scott Safety, thermal imaging _____

68. Shelby _____

69. Shelby, extraction gloves _____

70. Snaptite, fire hose _____

71. Snaptite, non fire hose _____

72. Sperian, gas detection _____

73. Sperian, respiratory _____

Company Name

- 74. Streamlight _____
- 75. Supervac, parts _____
- 76. Supervac, non-parts _____
- 77. Tecgen _____
- 78. Thermo Scientific, radiation detection _____
- 79. Thermo Scientific, portable optical analysis _____
- 80. Tingley _____
- 81. Trimble GPS _____
- 82. True North _____
- 83. Whelen Products _____
- 84. Williams Fire Hazard, firefighting foams _____
- 85. Worden _____
- 86. Zico Ziamatic _____

Delivery for Lots 64 through 86 shall be no later than 45 days ARO.

Company Name

IMPORTANT NOTE: When completing your bid, do not attach any forms which may contain terms and conditions that conflict with those listed in the County's bid documents(s). Inclusion of additional terms and conditions such as those which may be on your company's standard forms shall result in your bid being declared non-responsive as these changes will be considered a counteroffer to the County's bid.

Delivery shall be not later than the number of calendar days After Receipt of Order (ARO) per the Bid Response Form.

Inquiries regarding this Invitation for Bids may be directed to Jim Schell, Senior Purchasing Agent, at Jim.Schell@ocfl.net.

Bid Response Documents - The following documents constitute your bid:

- A. Bid Response Form, Authorized Signatories/Negotiators, Drug-Free Workplace, Schedule of Sub-contracting, Conflict/Non-Conflict of Interest Form, E-Verification Certification, and current W9, Relationship Disclosure Form and Orange County Specific Project Expenditure Report. **Please make sure forms are fully executed where required.**
- B. Qualifications of Bidders information, per Special Terms and Conditions.
- C. Completed attached reference documentation.