

March 28, 2017

BOARD OF COUNTY COMMISSIONERS
ORANGE COUNTY, FLORIDA

ADDENDUM NO. 3 / IFB NO. Y17-1036-RM
STORM SEWER SLIP LINING REHABILITATION

THE REVISED BID OPENING DATE IS APRIL 6, 2017

This Addendum is hereby incorporated into the bid documents of the project referenced above. The following items are clarifications, corrections, additions, deletions and/or revisions to and shall take precedence over the original documents. Additions are indicated by underlining, deletions are indicated by ~~strikethrough~~.

- A. **THE BID OPENING DATE IS CHANGED FROM ~~March 30, 2017~~ to April 6, 2017**
- B. **The following represents a change to the IFB.**
1. Regarding Part D, Pages D-3 through D-9; **DELETE** existing "Bid Item Schedule" and **REPLACE** with the attached "Revised Bid Item Schedule" pages D-3 through D-9.

IMPORTANT: Failure to submit your bid with the "Revised Bid Item Schedule" per this Addendum shall be cause for your bid to be rejected as non-responsive.

- C. **All other terms, conditions and specifications remain the same.**

The Bidder shall acknowledge receipt of this addendum by completing the applicable section in the solicitation or by completion of the acknowledgement information on the addendum. Either form of acknowledgement must be completed and returned not later than the date and time for receipt of the bid.

Receipt acknowledged by:

Authorized Signature

Date Signed

Title

Name of Firm

Y17-1036-RM “REVISED” BID ITEM SCHEDULE

Base Year					
Item #	Description	Unit	Estimated Quantity	Unit Price	Total Price
1	Light Cleaning – 15” thru 18”	LF	6,500		
2	Medium Cleaning – 15” thru 18”	LF	2,500		
3	Heavy Cleaning – 15” thru 18”	LF	100		
4	Light Cleaning – 24” thru 42”	LF	10,000		
5	Medium Cleaning 24” thru 42”	LF	5,000		
6	Heavy Cleaning – 24 thru 42”	LF	1,000		
7	Light Cleaning – 48” thru 54”	LF	1,500		
8	Medium Cleaning – 48” thru 54”	LF	500		
9	Heavy Cleaning – 48” thru 54”	LF	500		
10	Light Cleaning – 60” thru 84”	LF	500		
11	Medium Cleaning – 60” thru 84”	LF	500		
12	Heavy Cleaning – 60” thru 84”	LF	500		
13	Furnish and install 15” RICIPP Lining (less than 1,000 LF) (7.5 mm)	LF	3,500		
14	Furnish and install 15” RICIPP Lining (1,000 LF or more) (7.5 mm)	LF	1,000		
15	15-inch RICIPP Thickness Variance 1.5 mm	LF	500		
16	Furnish and install 18” RICIPP lining (less than 1000 LF)(9 mm)	LF	4,000		
17	Furnish and install 18” RICIPP lining (1,000 LF or more) (9 mm)	LF	500		
18	18-inch RICIPP Thickness Variance 1.5 mm	LF	500		
19	Furnish and install 24” RICIPP lining (less than 1000 LF)(10.5 mm)	LF	5,000		
20	Furnish and install 24” RICIPP lining (1,000 LF or more) (10.5 mm)	LF	1,000		
21	24-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
22	Furnish and install 30” RICIPP lining (less than 1000 LF) (12 mm)	LF	3,000		
23	Furnish and install 30” RICIPP lining (1,000 LF or more)(12 mm)	LF	200		
24	30-inch RICIPP Thickness Variance 1.5 mm	LF	1,500		
25	Furnish and install 36” RICIPP lining (less than 1000 LF) (15 mm)	LF	3,000		
26	Furnish and install 36” RICIPP lining (1,000 LF or more) (15 mm)	LF	200		
27	36-inch RICIPP Thickness Variance 1.5 mm	LF	2,000		
28	Furnish and install 42” RICIPP lining (less than 1000 LF)(16.5 mm)	LF	1,000		
29	Furnish and install 42” RICIPP lining (1,000 LF or more) (16.5 mm)	LF	100		
30	42-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
31	Furnish and install 48” RICIPP lining (less than 1000 LF) (19.5 mm)	LF	1,500		

“Revised page D-3”

32	Furnish and install 48" RICIPP lining (1,000 LF or more) (19.5 mm)	LF	200		
33	48-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
34	Furnish and install 54" RICIPP lining (less than 1000 LF) (27 mm)	LF	300		
35	Furnish and install 54" RICIPP lining (1,000 LF or more) (27 mm)	LF	300		
36	54-inch RICIPP Thickness Variance 1.5 mm	LF	500		
37	Furnish and install 60" RICIPP lining (less than 1000 LF) (28.5 mm)	LF	300		
38	Furnish and install 60" RICIPP lining (1,000 LF or more) (28.5 mm)	LF	100		
39	60-inch RICIPP Thickness Variance 1.5 mm	LF	500		
40	Furnish and install 72" RICIPP lining (less than 1000 LF) (33 mm)	LF	500		
41	Furnish and install 72" RICIPP lining (1,000 LF or more) (33 mm)	LF	100		
42	72-inch RICIPP Thickness Variance 1.5 mm	LF	100		
43	Furnish and install 84" RICIPP lining (less than 1000 LF) (36 mm)	LF	100		
44	Furnish and install 84" RICIPP lining (1,000 LF or more) (36 mm)	LF	100		
45	84-inch RICIPP Thickness Variance 1.5 mm	LF	100		
46	Dewatering 15" thru 18"	LF	1,500		
47	Dewatering 24" thru 42"	LF	6,500		
48	Dewatering 48" thru 54"	LF	1,000		
49	Dewatering 60" thru 84"	LF	500		
50	Bahia Sod	SF	1,000		
51	St. Augustine Sod	SF	1,000		
52	Setup Fee Cleaning Less Than 100 Ft	PP	200		
53	Setup Fee Installing RICIPP In lines less than 100 Ft	PP	100		
54	Red Line/As-built Drawings	PP	100		
55	Video Cleaning	LF	20,000		
56	Video RICIPP Installation	LF	20,000		
57	Sprinkler System Repair (each residence)	EA	100		
58	Manhole epoxy coating, as specified by manufacturer (including pre work) (up to 3 manholes)	SF	5,000		
59	Manhole epoxy coating, as specified by manufacturer (including pre work) (4 to 6 manholes)	SF	1,000		
60	Manhole epoxy coating, as specified by manufacturer (including pre work) (7 or more manholes)	SF	4,500		
61	Chemical grout crack/leak seal	LF	5,000		
62	Manhole coating set up fee, including dewatering and bypass pumping	EA	100		
63	Structural repairs, walls and inverts	SF	5,000		
64	Traffic Control Officer	HR	100		

"Revised page D-4"

65	Truck & Mounted Attenuator	Days	20		
66	Emergency Mobilization	EA	10		
67	Indemnification	LS	1	\$100.00	\$100.00
Total Estimated Bid Price, Base Year (Items 1 – 67)				\$ _____	

Option Year No. 1

Item #	Description	Unit	Estimated Quantity	Unit Price	Total Price
68	Light Cleaning – 15” thru 18”	LF	6,500		
69	Medium Cleaning – 15” thru 18”	LF	2,500		
70	Heavy Cleaning – 15” thru 18”	LF	100		
71	Light Cleaning – 24” thru 42”	LF	10,000		
72	Medium Cleaning 24” thru 42”	LF	5,000		
73	Heavy Cleaning – 24 thru 42”	LF	1,000		
74	Light Cleaning – 48” thru 54”	LF	1,500		
75	Medium Cleaning – 48” thru 54”	LF	500		
76	Heavy Cleaning – 48” thru 54”	LF	500		
77	Light Cleaning – 60” thru 84”	LF	500		
78	Medium Cleaning – 60” thru 84”	LF	500		
79	Heavy Cleaning – 60” thru 84”	LF	500		
80	Furnish and install 15” RICIPP Lining (less than 1,000 LF) (7.5 mm)	LF	3,500		
81	Furnish and install 15” RICIPP Lining (1,000 LF or more) (7.5 mm)	LF	1,000		
82	15-inch RICIPP Thickness Variance 1.5 mm	LF	500		
83	Furnish and install 18” RICIPP lining (less than 1000 LF)(9 mm)	LF	4,000		
84	Furnish and install 18” RICIPP lining (1,000 LF or more) (9 mm)	LF	500		
85	18-inch RICIPP Thickness Variance 1.5 mm	LF	500		
86	Furnish and install 24” RICIPP lining (less than 1000 LF)(10.5 mm)	LF	5,000		
87	Furnish and install 24” RICIPP lining (1,000 LF or more) (10.5 mm)	LF	1,000		
88	24-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
89	Furnish and install 30” RICIPP lining (less than 1000 LF) (12 mm)	LF	3,000		
90	Furnish and install 30” RICIPP lining (1,000 LF or more)(12 mm)	LF	200		
91	30-inch RICIPP Thickness Variance 1.5 mm	LF	1,500		
92	Furnish and install 36” RICIPP lining (less than 1000 LF) (15 mm)	LF	3,000		
93	Furnish and install 36” RICIPP lining (1,000 LF or more) (15 mm)	LF	200		
94	36-inch RICIPP Thickness Variance 1.5 mm	LF	2,000		

“Revised page D-5”

95	Furnish and install 42" RICIPP lining (less than 1000 LF)(16.5 mm)	LF	1,000		
96	Furnish and install 42" RICIPP lining (1,000 LF or more) (16.5 mm)	LF	100		
97	42-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
98	Furnish and install 48" RICIPP lining (less than 1000 LF) (19.5 mm)	LF	1,500		
99	Furnish and install 48" RICIPP lining (1,000 LF or more) (19.5 mm)	LF	200		
100	48-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
101	Furnish and install 54" RICIPP lining (less than 1000 LF) (27 mm)	LF	300		
102	Furnish and install 54" RICIPP lining (1,000 LF or more) (27 mm)	LF	300		
103	54-inch RICIPP Thickness Variance 1.5 mm	LF	500		
104	Furnish and install 60" RICIPP lining (less than 1000 LF) (28.5 mm)	LF	300		
105	Furnish and install 60" RICIPP lining (1,000 LF or more) (28.5 mm)	LF	100		
106	60-inch RICIPP Thickness Variance 1.5 mm	LF	500		
107	Furnish and install 72" RICIPP lining (less than 1000 LF) (33 mm)	LF	500		
108	Furnish and install 72" RICIPP lining (1,000 LF or more) (33 mm)	LF	100		
109	72-inch RICIPP Thickness Variance 1.5 mm	LF	100		
110	Furnish and install 84" RICIPP lining (less than 1000 LF) (36 mm)	LF	100		
111	Furnish and install 84" RICIPP lining (1,000 LF or more) (36 mm)	LF	100		
112	84-inch RICIPP Thickness Variance 1.5 mm	LF	100		
113	Dewatering 15" thru 18"	LF	1,500		
114	Dewatering 24" thru 42"	LF	6,500		
115	Dewatering 48" thru 54"	LF	1,000		
116	Dewatering 60" thru 84"	LF	500		
117	Bahia Sod	SF	1,000		
118	St. Augustine Sod	SF	1,000		
119	Setup Fee Cleaning Less Than 100 Ft	PP	200		
120	Setup Fee Installing RICIPP in Lines less than 100 Ft	PP	100		
121	Red Line/As-built Drawings	PP	100		
122	Video Cleaning	LF	20,000		
123	Video RICIPP Installation	LF	20,000		
124	Sprinkler System Repair (each residence)	EA	100		
125	Manhole epoxy coating, as specified by manufacturer (including pre work) (up to 3 manholes)	SF	5,000		
126	Manhole epoxy coating, as specified by manufacturer (including pre work) (4 to 6 manholes)	SF	1,000		
127	Manhole epoxy coating, as specified by manufacturer (including pre work) (7 or more manholes)	SF	4,500		
128	Chemical grout crack/leak seal	LF	5,000		

129	Manhole coating set up fee, including dewatering and bypass pumping	EA	100		
130	Structural repairs, walls and inverts	SF	5,000		
131	Traffic Control Officer	HR	100		
132	Truck & Mounted Attenuator	Days	20		
133	Emergency Mobilization	EA	10		
Total Estimated Bid Price, Option Year #1 (Items 68 – 133)				\$ _____	

Option Year No. 2

Item #	Description	Unit	Estimated Quantity	Unit Price	Total Price
134	Light Cleaning – 15" thru 18"	LF	6,500		
135	Medium Cleaning – 15" thru 18"	LF	2,500		
136	Heavy Cleaning – 15" thru 18"	LF	100		
137	Light Cleaning – 24" thru 42"	LF	10,000		
138	Medium Cleaning 24" thru 42"	LF	5,000		
139	Heavy Cleaning – 24 thru 42"	LF	1,000		
140	Light Cleaning – 48" thru 54"	LF	1,500		
141	Medium Cleaning – 48" thru 54"	LF	500		
142	Heavy Cleaning – 48" thru 54"	LF	500		
143	Light Cleaning – 60" thru 84"	LF	500		
144	Medium Cleaning – 60" thru 84"	LF	500		
145	Heavy Cleaning – 60" thru 84"	LF	500		
146	Furnish and install 15" RICIPP Lining (less than 1,000 LF) (7.5 mm)	LF	3,500		
147	Furnish and install 15" RICIPP Lining (1,000 LF or more) (7.5 mm)	LF	1,000		
148	15-inch RICIPP Thickness Variance 1.5 mm	LF	500		
149	Furnish and install 18" RICIPP lining (less than 1000 LF)(9 mm)	LF	4,000		
150	Furnish and install 18" RICIPP lining (1,000 LF or more) (9 mm)	LF	500		
151	18-inch RICIPP Thickness Variance 1.5 mm	LF	500		
152	Furnish and install 24" RICIPP lining (less than 1000 LF)(10.5 mm)	LF	5,000		
153	Furnish and install 24" RICIPP lining (1,000 LF or more) (10.5 mm)	LF	1,000		
154	24-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
155	Furnish and install 30" RICIPP lining (less than 1000 LF) (12 mm)	LF	3,000		
156	Furnish and install 30" RICIPP lining (1,000 LF or more)(12 mm)	LF	200		
157	30-inch RICIPP Thickness Variance 1.5 mm	LF	1,500		
158	Furnish and install 36" RICIPP lining (less than 1000 LF) (15 mm)	LF	3,000		

159	Furnish and install 36" RICIPP lining (1,000 LF or more) (15 mm)	LF	200		
160	36-inch RICIPP Thickness Variance 1.5 mm	LF	2,000		
161	Furnish and install 42" RICIPP lining (less than 1000 LF)(16.5 mm)	LF	1,000		
162	Furnish and install 42" RICIPP lining (1,000 LF or more) (16.5 mm)	LF	100		
163	42-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
164	Furnish and install 48" RICIPP lining (less than 1000 LF) (19.5 mm)	LF	1,500		
165	Furnish and install 48" RICIPP lining (1,000 LF or more) (19.5 mm)	LF	200		
166	48-inch RICIPP Thickness Variance 1.5 mm	LF	1,000		
167	Furnish and install 54" RICIPP lining (less than 1000 LF) (27 mm)	LF	300		
168	Furnish and install 54" RICIPP lining (1,000 LF or more) (27 mm)	LF	300		
169	54-inch RICIPP Thickness Variance 1.5 mm	LF	500		
170	Furnish and install 60" RICIPP lining (less than 1000 LF) (28.5 mm)	LF	300		
171	Furnish and install 60" RICIPP lining (1,000 LF or more) (28.5 mm)	LF	100		
172	60-inch RICIPP Thickness Variance 1.5 mm	LF	500		
173	Furnish and install 72" RICIPP lining (less than 1000 LF) (33 mm)	LF	500		
174	Furnish and install 72" RICIPP lining (1,000 LF or more) (33 mm)	LF	100		
175	72-inch RICIPP Thickness Variance 1.5 mm	LF	100		
176	Furnish and install 84" RICIPP lining (less than 1000 LF) (36 mm)	LF	100		
177	Furnish and install 84" RICIPP lining (1,000 LF or more) (36 mm)	LF	100		
178	84-inch RICIPP Thickness Variance 1.5 mm	LF	100		
179	Dewatering 15" thru 18"	LF	1,500		
180	Dewatering 24" thru 42"	LF	6,500		
181	Dewatering 48" thru 54"	LF	1,000		
182	Dewatering 60" thru 84"	LF	500		
183	Bahia Sod	SF	1,000		
184	St. Augustine Sod	SF	1,000		
185	Setup Fee Cleaning Less Than 100 Ft	PP	200		
186	Setup Fee Installing RICIPP In lines less than 100 Ft	PP	100		
187	Red Line/As-built Drawings	PP	100		
188	Video Cleaning	LF	20,000		
189	Video RICIPP Installation	LF	20,000		
190	Sprinkler System Repair (each residence)	EA	100		
191	Manhole epoxy coating, as specified by manufacturer (including pre work) (up to 3 manholes)	SF	5,000		

"Revised page D-8"

192	Manhole epoxy coating, as specified by manufacturer (including pre work) (4 to 6 manholes)	SF	1,000		
193	Manhole epoxy coating, as specified by manufacturer (including pre work) (7 or more manholes)	SF	4,500		
194	Chemical grout crack/leak seal	LF	5,000		
195	Manhole coating set up fee, including dewatering and bypass pumping	EA	100		
196	Structural repairs, walls and inverts	SF	5,000		
197	Traffic Control Officer	HR	100		
198	Truck & Mounted Attenuator	Days	20		
199	Emergency Mobilization	EA	10		
Total Estimated Bid Price, Option Year #2 (Items 134 – 199)				\$ _____	
Total Bid Price, Base Year plus Option Years #1 and #2				\$ _____	

"Revised page D-9"

IMPORTANT: Failure to submit your bid with the "Revised Bid Item Schedule" per this Addendum shall be cause for your bid to be rejected as non-responsive.