


**GENERAL PLAN NOTES**

1. GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATING AND SCHEDULING CONSTRUCTION PHASES WITH THE OWNER PRIOR TO CONSTRUCTION. OBTAINING WRITTEN APPROVAL FROM THE OWNER OF DEMOLITION SCHEDULE IS REQUIRED.
2. FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO START OF WORK. NOTIFY OWNER IN WRITING OF ANY DISCREPANCIES PRIOR TO START OF CONSTRUCTION.
3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM DAMAGE. CONTRACTOR SHALL BEAR ALL COSTS FOR REPAIRING, REPLACING, REFINISHING ITEMS OF EXISTING ITEMS (INCLUDING FIRE, SMOKE RATINGS) DAMAGED.
4. CONTRACTOR IS TO MAINTAIN EXISTING FIRE, SMOKE RATINGS AT ALL TIMES. CONTRACTOR IS TO PATCH, REPAIR FIRE PROOFING DAMAGED DURING CONSTRUCTION.
5. PROVIDE, ERECT AND MAINTAIN TEMPORARY PARTITIONS, BARRIERS, GUARD RAILS AND OTHER SAFETY ITEMS AS REQUIRED BY REGULATORY AGENCIES, AS REQUIRED TO PROTECT OCCUPANTS OR AS NECESSARY TO PROTECT MATERIALS, SURFACES AND FINISHES.
6. WHEN CUTTING INTO EXISTING WALLS, SLAB AND ROOF, CONTRACTOR SHALL TAKE EXTREME CARE AND CAUTION TO AVOID DAMAGING THE STRUCTURAL INTEGRITY OF THESE AREAS. CONTRACTOR SHALL DOCUMENT ALL WALL, ROOF CUTS AND SLAB CUTS WHERE REINFORCING MEMBERS ARE CUT. CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING, RESTORING AND MAINTAINING STRUCTURAL PERFORMANCE WHERE THE STRUCTURAL SYSTEM HAS BEEN COMPROMISED.
7. CONTRACTOR SHALL VERIFY ALL UTILITIES (SHOWN OR NOT SHOWN ON DRAWINGS) THAT ARE TO REMAIN PRIOR TO CONSTRUCTION OR CUTTING INTO ANY WALL. PERMANENT PROCEDURES ARE TO BE MADE TO REROUTE OR BYPASS UTILITIES TO AVOID DISRUPTION OR SEVERING OF UTILITIES. CONTRACTOR SHALL NOT REQUEST ADDITIONAL CHARGES FOR SUCH UTILITIES THAT ARE CLEARLY VISIBLE (WITHOUT DEMOLITION).
8. WHERE SURFACE MOUNTED ITEMS ARE REMOVED FROM WALLS, (IE, SIGNAGE, RACEWAYS, EQUIPMENT, ETC) - PATCH/REPAIR WALLS AS REQUIRED TO MATCH EXISTING ADJACENT FINISHES.
9. CONTRACTOR TO PROTECT ADJACENT SURFACES, INCLUDING BUT NOT LIMITED TO WINDOW SYSTEMS DURING CONSTRUCTION. CLEAN ADJACENT SURFACES AS REQUIRED PRIOR TO CONSTRUCTION.



**Orange County**  
**Convention**  
**Center**  
North/South Vaulted Roofs  
Fall Arrest System

Capital Planning Division  
9400 Universal Blvd  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

November 17, 2015  
Maximiano Brito, RA, AIA  
Fl. Reg. No. AR0015108

**CONSTRUCTION DOCUMENTS**

date	submittal/revision	no.

**Project Location and**  
**Roof Plan - NS**  
**Concourse Building**

scale:	as shown
drawn:	LF
check:	MB
date:	November 17, 2015
project no:	12002_0024

**G011**

**Project Location and Roof Plan -**  
**N/S Concourse Building**

A1  
G011


scale: NTS

A1  
A221  
TYP












**2 EXISTING ENTRY SHELL ROOF FRAMING PLAN WITH NEW ANCHOR POINTS FRAMING**  
 scale: 1/8"=1'-0"



**1 EXISTING ENTRY SHELL FRONT ELEVATION WITH NEW ANCHOR POINTS FRAMING**  
 scale: 1/8"=1'-0"



**3 NEW ANCHOR POINTS FOR FALL PROTECTION**  
 scale: 3/4"=1'-0"  
**4 NEW ANCHOR POINTS FOR FALL PROTECTION**  
 scale: 3/4"=1'-0"



**5 NEW ANCHOR POINTS FOR FALL PROTECTION**  
 scale: 3/4"=1'-0"  
**6 NEW ANCHOR POINTS FOR FALL PROTECTION**  
 scale: 3/4"=1'-0"

- NOTES:
- 1) REFER TO DETAILS FOR ALL DIMENSIONS & ELEVATIONS. REFER TO ARCH'L DRAWINGS FOR SUPPLEMENTARY INFORMATION.
  - 2) ALL STUB COLUMNS SHALL BE ORIENTED NORMAL TO THE PLANE OF THE BEAM BELOW.
  - 3) THE ROOF FRAMING CONSISTS OF SLOPED AND SKEWED MEMBERS. THE DETAILS MAY NOT ACCURATELY REFLECT THE PRECISE ORIENTATION OF THE AS BUILT MEMBERS. FIELD VERIFY BEFORE FABRICATION OF NEW STEEL TYP.
  - 4) ALL EXISTING AND NEW PLANS, ELEVATIONS, DETAILS & PHOTOS APPLIES TO 4 SIMILAR ARCHED SHELL LOCATIONS.
  - 5) ALL FALL PROTECTION ANCHOR POINTS SHALL BE HUNG FROM 6" DIA. PIPES ONLY MAX. CAPACITY 5000 LBS EACH.
  - 6) FOR ROOF OF ARCHED SHELL ONLY ONE WORKER IS ALLOWED TO CONNECT TO 6" DIA. PIPE ANCHOR POINTS EACH SIDE OF NEW GRID "LU" (CENTER LINE OF ROOF) TOTAL TWO WORKERS.
  - 7) FOR WINDOW OF ARCHED SHELL ONLY ONE WORKER IS ALLOWED TO CONNECT TO 6" DIA. PIPE ANCHOR POINTS EACH SIDE OF NEW GRID "LU" (CENTER LINE OF WINDOW) TOTAL TWO WORKERS.

**rhodes + brito**  
 ARCHITECTS  
 605 EAST ROBINSON ST., SUITE 750  
 ORLANDO, FL 32801  
 PH (407) 648 - 7288  
 FAX (407) 648 - 7289  
 AA 0002809  
 www.rhodesandbrito.com

**ASD**  
 ADVANCED STRUCTURAL DESIGN  
 To the best of the engineer's knowledge, the plans and specifications comply with the Florida Building Code 2010  
 1035 S. Semoran Blvd. Suite 1019, Winter Park, FL 32782  
 Phone: 407-877-5806 • Fax: 407-877-5894  
 Florida Engineering Business Number: 23693  
 Jamshid Hakimian, P.E. Florida No: 46613

**ORANGE COUNTY**  
 GOVERNMENT  
 FLORIDA  
**Orange County**  
 Convention Center

**Orange County**  
 Convention  
 Center  
 North / South Vaulted  
 Roofs Fall Arrest  
 System  
 Capital Planning Division  
 9400 International Dr  
 Orlando, FL 32819  
 ALL REPRODUCTION AND INTELLECTUAL  
 PROPERTY RIGHTS RESERVED ©

Jamshid Hakimian, P.E.  
 Florida No: 46613

100% CONSTRUCTION DOCUMENTS

date	submittal/revision	no.

**SHELL PLAN, ELEV.  
 AND DETAILS**

scale: AS NOTED  
 drawn: J.H.  
 check: J.H.  
 date: November 17, 2015  
 project no: 12002-0024

**S-1.0**



**PLAN NOTES:**

- 1 THE EXISTING PHOTOS ARE PROVIDED FOR REFERENCE ONLY
- 2 REMOVE THE EXISTING ROOF FALL PROTECTION SEE PHOTO 9/6-11



1 FRONT ELEVATION  
S-1.1 scale: N/A




2 FRONT ELEVATION  
S-1.1 scale: N/A




3 LEFT ELEVATION  
S-1.1 scale: N/A




4 BACK ELEVATION  
S-1.1 scale: N/A




5 RIGHT ELEVATION  
S-1.1 scale: N/A



6 INSIDE VIEW 1  
S-1.1 scale: N/A



7 INSIDE VIEW 2  
S-1.1 scale: N/A



8 INSIDE VIEW 3  
S-1.1 scale: N/A



9 REMOVE EXIST. ROOF FALL PROTECTION IN ITS ENTIRETY  
S-1.1 scale: N/A

**rhodes + brito**  
ARCHITECTS  
605 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801  
PH (407) 648 - 7288  
FAX (407) 648 - 7289  
AA 0002809  
www.rhodesandbrito.com

**ASD**  
ADVANCED STRUCTURAL DESIGN  
To the best of the engineer's knowledge, the plans and specifications comply with the Florida Building Code 2010  
1035 S. Semoran Blvd., Suite 1019, Winter Park, FL 32792  
Phone: 407-677-5836 • Fax: 407-677-5894  
Florida Engineering Business Number: 25693  
Jamshid Hakimian, P.E. Florida No: 46613

**ORANGE COUNTY**  
GOVERNMENT  
FLORIDA  
**Orange County**  
Convention Center

**Orange County**  
Convention  
Center  
North / South Vaulted  
Roofs Fall Arrest  
System

Capital Planning Division  
9400 International Dr  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

Jamshid Hakimian, P.E.  
Florida No: 46613

**100% CONSTRUCTION DOCUMENTS**

date	submittal/revision	no.




**EXISTING SHELL  
PHOTOS**

scale: AS NOTED  
drawn: J.H.  
check: J.H.  
date: November 17, 2015  
project no: 12002-0024

**S-1.1**



PLAN NOTES:  
 [ ] THE EXISTING DETAILS ARE PROVIDED FOR REFERENCE ONLY



E1	SECTION AT FRONT ARCH OF SHELL	E10	SECTION AT BASE OF GLASS WALL (FRONT ARCH OF SHELL)	A5	SECTION AT BACK SPLINE OF SHELL
1'-1'-0"	REFERENCE: THE ORIGINAL DOCUMENT SHEET S7.011	1'-1'-0"	REFERENCE: THE ORIGINAL DOCUMENT SHEET S7.011	1'-1'-0"	REFERENCE: THE ORIGINAL DOCUMENT SHEET S7.011

**rhodes + brito**  
 ARCHITECTS  
 605 EAST ROBINSON ST., SUITE 750  
 ORLANDO, FL 32801  
 PH (407) 648 - 7288  
 FAX (407) 648 - 7289  
 AA 0002809  
 www.rhodesbrito.com

**ASD**  
 ADVANCED STRUCTURAL DESIGN  
 To the best of the engineer's knowledge, the plans and specifications comply with the Florida Building Code 2010  
 1035 S. Semoran Blvd., Suite 1019, Winter Park, FL 32782  
 Phone: 407-677-5808 • Fax: 407-677-5894  
 Florida Engineering Business Number: 25593  
 Jamshid Hakimian, P.E. Florida No: 46613

**ORANGE COUNTY**  
 GOVERNMENT  
 FLORIDA

**Orange County**  
 Convention Center

**Orange County**  
**Convention**  
**Center**  
 North / South Vaulted  
 Roofs Fall Arrest  
 System

Capital Planning Division  
 9400 International Dr  
 Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
 PROPERTY RIGHTS RESERVED ©

Jamshid Hakimian, P.E.  
 Florida No: 46613

100% CONSTRUCTION DOCUMENTS

date	submittal/revision	no.

**EXISTING SHELL**  
**DETAILS**



scale: AS NOTED  
 drawn: J.H.  
 check: J.H.  
 date: November 17, 2015  
 project no: 12002-0024

**S-1.2**



PLAN NOTES:

THE EXISTING DETAILS ARE PROVIDED FOR REFERENCE ONLY



rhodes + brito  
ARCHITECTS  
605 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801

PH (407) 648 - 7288  
FAX (407) 648 - 7289  
AA 0002809

www.rhodesandbrito.com



ASD  
ADVANCED STRUCTURAL DESIGN  
To the best of the engineer's knowledge, the plans and specifications comply with the Florida Building Code 2010  
1035 S. Semoran Blvd, Suite 1019, Winter Park, FL 32792  
Phone: 407-677-5506 • Fax: 407-677-5504  
Florida Engineering Business Number: 23593  
Jamshid Hakimian, P.E. Florida No: 46613



Orange County  
Convention Center

Orange County  
Convention  
Center  
North / South Vaulted  
Roofs Fall Arrest  
System

Capital Planning Division  
9400 International Dr  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

Jamshid Hakimian, P.E.  
Florida No: 46613

100% CONSTRUCTION DOCUMENTS

date	submittal/revision	no.

EXISTING SHELL  
ROOF FRAMING

scale: AS NOTED  
drawn: J.H.  
check: J.H.  
date: November 17, 2015  
project no: 12002-0024



S-1.3

A10	ENTRY SHELL ROOF FRAMING
1/8"=1'-0"	REFERENCE THE ORIGINAL DOCUMENT SHEET S7.002



PLAN NOTES:

□ THE EXISTING DETAILS ARE PROVIDED FOR REFERENCE ONLY



rhodes + brito  
ARCHITECTS  
605 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801  
PH (407) 648 - 7288  
FAX (407) 648 - 7289  
AA 0002809  
www.rbarchitects.com



ASD  
ADVANCED STRUCTURAL DESIGN  
To the best of the engineer's knowledge, the plans and specifications comply with the Florida Building Code 2010  
1035 S. Semoran Blvd, Suite 1019, Winter Park, FL 32792  
Phone: 407-677-5036 • Fax: 407-677-5094  
Florida Engineering Business Number: 25953  
Jamshid Hakimian, P.E. Florida No: 46613



Orange County  
Convention Center

Orange County  
Convention  
Center  
North / South Vaulted  
Roofs Fall Arrest  
System

Capital Planning Division  
9400 International Dr  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

Jamshid Hakimian, P.E.  
Florida No: 46613

100% CONSTRUCTION DOCUMENTS

date	submittal/revision	no.

EXISTING SHELL  
SECTION

scale: AS NOTED  
drawn: J.H.  
check: J.H.  
date: November 17, 2015  
project no: 12002-0024

S-1.4

A1 TYPICAL SHELL FRAME SECTION  
1/8"=1'-0" REFERENCE THE ORIGINAL DOCUMENT SHEET S7.003







**GENERAL DEMOLITION NOTES**

- A. DRAWINGS REPRESENT EXISTING CONDITIONS BASED ON LIMITED EXISTING AS-BUILD DRAWINGS AND SITE OBSERVATIONS. CONTRACTOR IS RESPONSIBLE FOR FIELD VERIFICATION OF ALL ACTUAL CONDITIONS AND DIMENSIONS.
- B. THE CONTRACTOR WILL BE PRESUMED TO HAVE INSPECTED THE SITE AND TO HAVE READ AND BE THOROUGHLY FAMILIAR WITH THE CONSTRUCTION DOCUMENTS AND SPECIFICATIONS. THE FAILURE OR OMISSION OF ANY CONTRACTOR TO EXAMINE ANY FORM, INSTRUMENT OR DOCUMENT SHALL IN NO WAY RELIEVE THE CONTRACTOR FROM ANY OBLIGATION IN RESPECT TO THIS PROJECT.
- C. THIS SHEET INDICATES GENERALLY WHERE DEMOLITION OF EXISTING CONSTRUCTION IS TO OCCUR. THE DEMOLITION SHOWN ON THIS SHEET IS NOT INTENDED TO LIMIT OR FULLY DEFINE THE SCOPE OF ITEMS TO BE REMOVED, NOR IS IT INTENDED TO REPRESENT ALL EXISTING FEATURES. THE CONTRACTOR SHALL BE RESPONSIBLE FOR SURVEYING THE AREA OF DEMOLITION IN ORDER TO BECOME FAMILIAR WITH EXISTING CONSTRUCTION WHERE DEMOLITION IS TO OCCUR. THE CONTRACTOR IS TO NOTIFY THE OWNER IN WRITING OF ANY CONFLICTING CONDITIONS AND DISCREPANCIES PRIOR TO START OF DEMOLITION.
- D. DEMOLITION DRAWINGS MAY NOT INDICATE ALL ITEMS TO BE REMOVED OR TO REMAIN. COORDINATE DEMOLITION OF EQUIPMENT, UTILITIES, ETC. AND ITEMS TO REMAIN WITH OTHER DISCIPLINES.
- E. CONTRACTOR SHALL VERIFY ALL UTILITIES (SHOWN OR NOT SHOWN ON CONSTRUCTION DOCUMENTS) THAT ARE TO REMAIN PRIOR TO DEMOLITION. PERMANENT PROCEDURES ARE TO BE MADE TO REROUTE OR BYPASS UTILITIES TO AVOID DISRUPTION OR SEVERING OF UTILITIES. CONTRACTOR SHALL NOT REQUEST ADDITIONAL CHARGES FOR SUCH UTILITIES THAT ARE CLEARLY VISIBLE (WITHOUT DEMOLITION).
- F. PRIOR TO START OF DEMOLITION THE CONTRACTOR SHALL SURVEY THE AREA OF DEMOLITION IN THE PRESENCE OF THE OWNER REPRESENTATIVE(S) TO IDENTIFY EXISTING ITEMS TO REMAIN, TO BE SALVAGED, TO BE REMOVED AND REINSTALLED DURING CONSTRUCTION, DAMAGED OR OTHERWISE NOT IN "LIKE NEW" CONDITION. THOSE ITEMS AND THEIR CONDITION ARE TO BE LISTED IN A "DAMAGE SURVEY" ACCEPTED BY BOTH OWNER AND CONTRACTOR. ANY ITEMS IDENTIFIED AS EXISTING TO REMAIN, TO BE SALVAGED, TO BE REMOVED AND REINSTALLED DURING CONSTRUCTION, THAT IS DAMAGED OR BLEMISHED AND NOT SPECIFICALLY ACKNOWLEDGED ON THE "DAMAGE SURVEY" SHALL BE ASSUMED TO BE DAMAGED DURING CONSTRUCTION AND SHALL BE THE CONTRACTOR'S RESPONSIBILITY TO REPAIR, OR REPLACE AT NO ADDITIONAL COST TO THE OWNER.
- G. CONTRACTOR IS TO PROVIDE ALL PERMITS AND COMPLY WITH ALL APPLICABLE ORDINANCES, REGULATIONS AND CODES IN THE REMOVAL AND DISPOSAL OF MATERIAL. DISPOSAL OF ALL RUBBISH AND DEBRIS IS TO BE IN AN ENVIRONMENTALLY SAFE MANNER IN ACCORDANCE WITH ALL APPLICABLE LOCAL CODES AND JURISDICTIONS.
- H. THESE DOCUMENTS (DEMOLITION AND NEW CONSTRUCTION) REFER TO (4) TYPICAL SHELL LOCATIONS AT THE OCCC NORTH/SOUTH BUILDING.

**DEMOLITION KEYNOTES** (NOT ALL NOTES APPLY TO SHEET)

- NO **A** — KEYNOTE LETTER/NUMBER
- A. EXISTING WINDOWS (GLAZING AND FRAMING) TO REMAIN. PROTECT FROM DAMAGE DURING CONSTRUCTION. CLEAN WINDOWS AS REQUIRED PRIOR TO CONSTRUCTION — TYP
- B. PREPARE EXISTING SURFACES TO RECEIVE NEW CONSTRUCTION — TYP
- C. EXISTING FALL ARREST CABLE SYSTEM TO BE REMOVED IN ITS ENTIRETY — PATCH REPAIR EXISTING SURFACES/ATTACHMENTS TO ROOFING AS REQUIRED — TYP
- D. REMOVE ALUMINUM COMPOSITE CAPPING AND ALL ASSOCIATED HARDWARE AS REQUIRED TO RECEIVE NEW CONSTRUCTION — TYP
- E. REMOVE COMPOSITE PANELS DURING CONSTRUCTION — STORE AND PROTECT FROM DAMAGE DURING CONSTRUCTION — REINSTALL AND CLEAN AT COMPLETION OF PROJECT — SEE DETAIL A3/AD400 INDICATING PANELS TO BE REMOVED AND REINSTALLED — TYP
- F. REMOVE EXTERIOR SHEATHING AS REQUIRED TO RECEIVE NEW CONSTRUCTION — TYP
- G. REMOVE FRAMING AS REQUIRED — TYP



**rhodes + brito**  
ARCHITECTS

605 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801

PH (407) 648 - 7288  
FAX (407) 648 - 7289  
AA 0002809  
www.rbarchitects.com



**Orange County**  
Convention Center

**Orange County**  
Convention  
Center  
North/South Vaulted Roofs  
Fall Arrest System

Capital Planning Division  
9400 Universal Blvd  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

November 17, 2015  
Maximiano Brito, RA, AIA  
Fl. Reg. No. AR0015108

**CONSTRUCTION DOCUMENTS**

date	submittal/revision	no.

**Demolition**

scale: as shown


drawn: LF

check: MB


date: November 17, 2015

project no: 12002\_0024

**AD400**



**Demo - Typical**  
scale: 3/4" = 1'-0"



**Section - Typical**  
scale: 1/16" = 1'-0"



**Demo Image - Typical**  
scale: NTS




**Demo Image - Typical**  
scale: NTS



**Demo Image - Typical**  
scale: NTS



**Demo Image - Typical**  
scale: NTS




**Elevation - Typical**  
scale: 1/8" = 1'-0"









A1  
A410

Section - Typical  
scale: 3/32"=1'-0"



**GENERAL PLAN NOTES**

1. GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATING AND SCHEDULING CONSTRUCTION PHASES WITH THE OWNER PRIOR TO CONSTRUCTION. OBTAINING WRITTEN APPROVAL FROM THE OWNER OF DEMOLITION SCHEDULE IS REQUIRED.
2. CONSTRUCTION DOCUMENTS WERE BASED ON AVAILABLE AS-BUILT DOCUMENTS. CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY ALL EXISTING CONDITIONS (INCLUDING ROOF/PARAPET PROFILE) PRIOR TO THE COMMISSIONING OF SHOP DRAWINGS. NOTIFY OWNER IN WRITING OF ANY DISCREPANCIES PRIOR TO START OF WORK - TYPICAL.
3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM DAMAGE. CONTRACTOR SHALL BEAR ALL COSTS FOR REPAIRING, REPLACING, REFINISHING ITEMS OF EXISTING ITEMS (INCLUDING FIRE, SMOKE RATINGS) DAMAGED.
4. CONTRACTOR IS TO MAINTAIN EXISTING FIRE, SMOKE RATINGS AT ALL TIMES. CONTRACTOR IS TO PATCH, REPAIR FIRE PROOFING DAMAGED DURING CONSTRUCTION.
5. PROVIDE, ERECT AND MAINTAIN TEMPORARY BARRIERS, GUARD RAILS AND OTHER SAFETY ITEMS AS REQUIRED BY REGULATORY AGENCIES. AS REQUIRED TO PROTECT OCCUPANTS OR AS NECESSARY TO PROTECT MATERIALS, SURFACES AND FINISHES.
6. WHEN CUTTING INTO EXISTING ROOF, CONTRACTOR SHALL TAKE EXTREME CARE AND CAUTION TO AVOID DAMAGING THE STRUCTURAL INTEGRITY OF THESE AREAS. CONTRACTOR SHALL DOCUMENT ALL WALL, ROOF CUTS AND SLAB CUTS WHERE REINFORCING MEMBERS ARE CUT. CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING, RESTORING AND MAINTAINING STRUCTURAL PERFORMANCES WHERE THE STRUCTURAL SYSTEM HAS BEEN COMPROMISED.
7. CONTRACTOR SHALL VERIFY ALL UTILITIES (SHOWN OR NOT SHOWN ON DRAWINGS) THAT ARE TO REMAIN PRIOR TO CONSTRUCTION OR CUTTING INTO ANY WALL. PERMANENT PROCEDURES ARE TO BE MADE TO ROUTE OR BYPASS UTILITIES TO AVOID DISRUPTION OR SEVERING OF UTILITIES. CONTRACTOR SHALL NOT REQUEST ADDITIONAL CHARGES FOR SUCH UTILITIES THAT ARE CLEARLY VISIBLE (WITHOUT DEMOLITION).

**rhodes + brito**  
ARCHITECTS  
605 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801  
PH (407) 648 - 7288  
FAX (407) 648 - 7289  
AA 0002809  
www.rbarchitects.com

**Orange County**  
Convention Center

**Orange County**  
Convention  
Center  
North/South Vaulted Roofs  
Fall Arrest System

Capital Planning Division  
9400 Universal Blvd  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

November 17, 2015  
Maximiano Brito, RA, AIA  
Fl. Reg. No. AR0015108

CONSTRUCTION DOCUMENTS

date	submittal/revision	no.

Shell Section -  
Typical

scale: as shown  
drawn: LF  
check: MB  
date: November 17, 2015  
project no: 12002\_0024

**A410**







**GENERAL PLAN NOTES**

1. GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATING AND SCHEDULING CONSTRUCTION PHASES WITH THE OWNER PRIOR TO CONSTRUCTION. OBTAINING WRITTEN APPROVAL FROM THE OWNER OF DEMOLITION SCHEDULE IS REQUIRED.
2. CONSTRUCTION DOCUMENTS WERE BASED ON AVAILABLE AS-BUILT DOCUMENTS. CONTRACTOR IS RESPONSIBLE TO FIELD VERIFY ALL EXISTING CONDITIONS (INCLUDING ROOF/PARAPET PROFILE) PRIOR TO THE COMMISSIONING OF SHOP DRAWINGS. NOTIFY OWNER IN WRITING OF ANY DISCREPANCIES PRIOR TO START OF WORK - TYPICAL.
3. PROTECT ALL EXISTING ITEMS TO REMAIN FROM DAMAGE. CONTRACTOR SHALL BEAR ALL COSTS FOR REPAIRING, REPLACING, REFINISHING ITEMS OF EXISTING ITEMS (INCLUDING FIRE, SMOKE RATINGS) DAMAGED.
4. CONTRACTOR IS TO MAINTAIN EXISTING FIRE, SMOKE RATINGS AT ALL TIMES. CONTRACTOR IS TO PATCH, REPAIR FIRE PROOFING DAMAGED DURING CONSTRUCTION.
5. PROVIDE, ERECT AND MAINTAIN TEMPORARY BARRIERS, GUARD RAILS AND OTHER SAFETY ITEMS AS REQUIRED BY REGULATORY AGENCIES, AS REQUIRED TO PROTECT OCCUPANTS OR AS NECESSARY TO PROTECT MATERIALS, SURFACES AND FINISHES.
6. WHEN CUTTING INTO EXISTING ROOF, CONTRACTOR SHALL TAKE EXTREME CARE AND CAUTION TO AVOID DAMAGING THE STRUCTURAL INTEGRITY OF THESE AREAS. CONTRACTOR SHALL DOCUMENT ALL WALL, ROOF CUTS AND SLAB CUTS WHERE REINFORCING MEMBERS ARE CUT. CONTRACTOR SHALL BE RESPONSIBLE FOR REPLACING, RESTORING AND MAINTAINING STRUCTURAL PERFORMANCES WHERE THE STRUCTURAL SYSTEM HAS BEEN COMPROMISED.
7. CONTRACTOR SHALL VERIFY ALL UTILITIES (SHOWN OR NOT SHOWN ON DRAWINGS) THAT ARE TO REMAIN PRIOR TO CONSTRUCTION OR CUTTING INTO ANY WALL. PERMANENT PROCEDURES ARE TO BE MADE TO ROUTE OR BYPASS UTILITIES TO AVOID DISRUPTION OR SEVERING OF UTILITIES. CONTRACTOR SHALL NOT REQUEST ADDITIONAL CHARGES FOR SUCH UTILITIES THAT ARE CLEARLY VISIBLE (WITHOUT DEMOLITION).



**Orange County  
Convention  
Center  
North/South Vaulted Roofs  
Fall Arrest System**

Capital Planning Division  
9400 Universal Blvd  
Orlando, FL 32819

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

November 17, 2015  
Maximiano Brito, RA, AIA  
Fl. Reg. No. AR0015108


**CONSTRUCTION DOCUMENTS**

date	submittal/revision	no.

**Elevation -  
Typical**

scale: as shown  
drawn: LF  
check: MB  
date: November 17, 2015  
project no: 12002\_0024

**A701**



**A1**  
A701  
**Elevation - Typical**  
scale: NTS