



rhodes + brito  
ARCHITECTS  
AA 0002809

# ORANGE COUNTY CORRECTIONS FACILITY BUILDING E, CELL DOORS & LOCKS DESIGN

ORANGE COUNTY, FL  
Capital Projects Division  
400 East South Street, Suite 500, Orlando, FL 32801



CONSTRUCTION DOCUMENTS  
DECEMBER 9, 2015



## ORANGE COUNTY CORRECTIONS FACILITY BUILDING E, 5TH AND 6TH FLOORS



Location Map

**Board of County  
Commissioners**

- Teresa Jacobs**  
County Mayor
- S. Scott Boyd**  
District 1 Commissioner
- Bryan Nelson**  
District 2 Commissioner
- Pete Clarke**  
District 3 Commissioner
- Jennifer Thompson**  
District 4 Commissioner
- Ted Edwards**  
District 5 Commissioner
- Victoria P Sipilin**  
District 6 Commissioner

date	submitter/revision	no.

**DESIGN TEAM**

<p><b>architectural</b> Rhodes+Brito Architects, Inc 605 East Robinson St. Suite 750 Orlando, FL 32801 ph. (407) 648-7288 fax (407) 648-7289 contact: Donald Williams</p>	<p><b>technology</b> Fitzgerald Technology Group 1050 Connecticut Ave. N.W., 10th Floor Washington, D.C. 20036 ph. (407) 578-0053 fax (800) 830-1103 contact: Doug Fitzgerald</p>
---	---


**PROFESSIONAL SEALS**

--	--	--	--


Donald M. Williams, RA, AA  
Fl Reg. No. AR0092126  
Doug Fitzgerald

### Dimensioning


- 1. WHEN A ROOM/BUILDING/OBJECT CENTERLINE IS INDICATED, ONLY ONE SIDE OF ELEMENT MAY BE DIMENSIONED.
- 2. DOOR LOCATION  
DOORS ARE LOCATED BY ONE OF THE FOLLOWING:  
A. ONE JAMB FACE LOCATED BY A PARTITION AT RIGHT ANGLE.




- 3. PARTITION FINISH FACE ON COLUMN OR GRID LINE WILL NOT BE DIMENSIONED ON SMALL SCALE PLANS BUT WILL BE DRAWN ACCORDING TO LARGER SCALE DRAWINGS.



- 4. PARTITIONS WITH FINISH FACE FLUSH WITH FINISH FACE OF COLUMN WILL NOT BE DRAWN ON SMALL SCALE PLANS BUT WILL BE DRAWN ACCORDING TO LARGER SCALE DRAWINGS.



- 5. PARTITIONS CENTERED ON COLUMNS OR GRID LINES WILL NOT BE DIMENSIONED ON SMALL SCALE PLANS BUT WILL BE DRAWN ACCORDING TO LARGER SCALE DRAWINGS.




- 6. PARTITIONS ARE DIMENSIONED TO FACE OF STOPS, FACE OF DMI AND FACE OF BLOCK UNLESS INDICATED OTHERWISE.

- 7. DIMENSIONS ARE INDICATED ON DRAWINGS, DO NOT SCALE DRAWINGS


### List Of Abbreviations

AA	ANCHOR BOLT	BB	BURR	CC	CORNER	DD	DOUBLE
AC	AIR CONDITIONING	BC	BRICK	CD	CORNER TO CENTER	DB	DEBRIS
AD	ADHESIVE	BD	BROCK	CE	CEILING CASSETTE	DC	DOWN COMING
AE	ACCELS	BE	BENT	CF	CORNER TO CENTER	DD	DOUBLE
AF	APPLY	BF	BENT	CG	CORNER TO CENTER	DE	DEBRIS
AG	ARCHITECTURAL	BG	BENT	CH	CHANGING HEIGHT	DF	DOWN COMING
AH	ARCHITECTURAL	BH	BENT	CI	CORNER TO CENTER	DD	DOUBLE
AI	ARCHITECTURAL	BI	BENT	CJ	CORNER TO CENTER	DE	DEBRIS
AJ	ARCHITECTURAL	BJ	BENT	CK	CORNER TO CENTER	DF	DOWN COMING
AK	ARCHITECTURAL	BK	BENT	CL	CORNER TO CENTER	DD	DOUBLE
AL	ARCHITECTURAL	BL	BENT	CM	CORNER TO CENTER	DE	DEBRIS
AM	ARCHITECTURAL	BM	BENT	CN	CORNER TO CENTER	DF	DOWN COMING
AN	ARCHITECTURAL	BN	BENT	CO	CORNER TO CENTER	DD	DOUBLE
AO	ARCHITECTURAL	BO	BENT	CP	CORNER TO CENTER	DE	DEBRIS
AP	ARCHITECTURAL	BP	BENT	CQ	CORNER TO CENTER	DF	DOWN COMING
AQ	ARCHITECTURAL	BQ	BENT	CR	CORNER TO CENTER	DD	DOUBLE
AR	ARCHITECTURAL	BR	BENT	CS	CORNER TO CENTER	DE	DEBRIS
AS	ARCHITECTURAL	BS	BENT	CT	CORNER TO CENTER	DF	DOWN COMING
AT	ARCHITECTURAL	BT	BENT	CU	CORNER TO CENTER	DD	DOUBLE
AV	ARCHITECTURAL	BV	BENT	CV	CORNER TO CENTER	DE	DEBRIS


### Drawing Symbol Legend



### Materials Legend



### Drawing Format



### Drawing Index

- General
- Architecture

### CODE REVIEW

SECTION 1006.1.1. SIZE OF DOORS.  
THE MINIMUM WIDTH OF EACH DOOR OPENING SHALL BE SUFFICIENT FOR THE OCCUPANT LOAD THEREOF AND SHALL PROVIDE A CLEAR WIDTH OF 32 INCHES (813 MM). CLEAR OPENINGS OF ROOMS WITH SWINGING DOORS SHALL BE MEASURED BETWEEN THE FACE OF THE DOOR AND THE STOP, WITH THE DOOR OPEN 90 DEGREES (1.57 RAD). THE MINIMUM WIDTH OF A SWINGING DOOR LEAF SHALL BE 48 INCHES (1219 MM) MINIMUM.  
EXCEPTIONS:  
1. DOOR OPENINGS WITH A SWINGING DOOR LEAF SHALL NOT BE LESS THAN 28 INCHES (711 MM).  
2. DOOR OPENINGS WITH A SWINGING DOOR LEAF SHALL NOT BE LESS THAN 28 INCHES (711 MM) IN HEIGHT.  
3. DOOR OPENINGS WITH A SWINGING DOOR LEAF SHALL NOT BE LESS THAN 28 INCHES (711 MM) IN WIDTH.  
4. THE DOOR SHALL OPEN TO THE MINIMUM REQUIRED WIDTH WITHIN 10 SECONDS AFTER ACTIVATION OF THE OPERATING DEVICE.  
LOOKS AND VOUCHES SHALL BE PERMITTED TO PREVENT OPERATION OF DOORS WHERE ANY OF THE FOLLOWING APPLIES:  
1. FACES OF DETENTION OR RESTRAINT.  
2. PLATES OF DETENTION OR RESTRAINT.  
1008.1.3.4.5. UNLATCHING.  
1. FACES OF DETENTION OR RESTRAINT.  
2. PLATES OF DETENTION OR RESTRAINT.  
1008.1.3.4.5. UNLATCHING.  
1. FACES OF DETENTION OR RESTRAINT.  
2. PLATES OF DETENTION OR RESTRAINT.  
1008.1.3.4.5. UNLATCHING.  
1. FACES OF DETENTION OR RESTRAINT.  
2. PLATES OF DETENTION OR RESTRAINT.  
1008.1.3.4.5. UNLATCHING.  
1. FACES OF DETENTION OR RESTRAINT.  
2. PLATES OF DETENTION OR RESTRAINT.

A	ANCHOR BOLT	BB	BURR	CC	CORNER	DD	DOUBLE	EE	EMERGENCY	FF	FACE	GG	GLASS	HH	HAND	II	INSULATION	JJ	JAMB	KK	KITCHEN	LL	LUMBER	MM	MASONRY	NN	NAIL	OO	OPENING	PP	PLASTER	QQ	QUALITY	RR	ROOF	SS	SHEATHING	TT	TRUSS	UU	UNDER	UU	UNIT	VV	VENT	WW	WALL	XX	EXTERIOR	YY	YIELD	ZZ	ZINC
---	-------------	----	------	----	--------	----	--------	----	-----------	----	------	----	-------	----	------	----	------------	----	------	----	---------	----	--------	----	---------	----	------	----	---------	----	---------	----	---------	----	------	----	-----------	----	-------	----	-------	----	------	----	------	----	------	----	----------	----	-------	----	------

### CONSTRUCTION DOCUMENTS


date	submitto/revision	no.
check:	DW	
date:	December 09, 2015	
project no.:	12002-0032	
<b>DRAWING GUIDES/ ABBREVIATIONS/ LEGENDS</b>		
scale:	as shown	
drawn:	LF, TD	

606 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801  
PH: (407) 646-7288  
FAX: (407) 646-7289  
AIA 00028269  
www.rhodesbrito.com

Orange County Corrections Facility  
Building E, 5th & 6th Floor  
Cell Doors & Locks Design  
Capital Projects Division  
400 East South Street, Suite 500,  
Orlando, FL 32801  
ALL REPRODUCTION AND INTELLECTUAL PROPERTY RIGHTS RESERVED ©

1 2 3 4 5 6 7 8 9 10

A B C D E F G H 134'-0" 134'-0"





**GENERAL DEMO NOTES**

- A. FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO START OF WORK. NOTIFY OWNER IN WRITING OF ANY DISCREPANCIES PRIOR TO START OF DEMOLITION.
- B. CONFORM TO ALL APPLICABLE CODES FOR REMOVAL OF ITEMS TO BE REMOVED.
- C. PROTECT ALL EXISTING ITEMS TO REMAIN FROM DAMAGE. CONTRACTOR SHALL BEAR ALL COSTS FOR REPAIRING, REPLACING, REFINISHING ITEMS OF EXISTING ITEMS DAMAGED.
- D. DEMOLITION DRAWINGS MAY NOT INDICATE ALL ITEMS TO BE REMOVED. DEMOLITION DRAWINGS MAY NOT INDICATE ALL ITEMS TO BE REMOVED. WHEN CUTTING INTO EXISTING WALLS, SLAB AND ROOF, CONTRACTOR SHALL TAKE EXTREME CARE AND CAUTION TO AVOID DAMAGING THE STRUCTURAL INTEGRITY OF THESE AREAS. CONTRACTOR SHALL DOCUMENT ALL WALL, FLOOR CUTS AND SLAB CUTS WHERE PERMISSIBLE. MEMBERS RESTRAINING AND MAINTAIN STRUCTURAL PERFORMANCE WHERE THE STRUCTURAL SYSTEM HAS BEEN COMPROMISED.
- F. CONTRACTOR SHALL VERIFY ALL UTILITIES (SHOWN OR NOT SHOWN ON DRAWINGS) THAT ARE TO REMAIN PRIOR TO DEMOLITION OR CUTTING INTO EXISTING WALLS, SLAB AND ROOF. CONTRACTOR SHALL VERIFY THE LOCATION AND DEPTH OF ALL UTILITIES AND SHALL BE RESPONSIBLE FOR PROTECTING OR RELOCATING OR CONTRACTOR SHALL NOT REQUEST ADDITIONAL CHARGES FOR SUCH UTILITIES THAT ARE CLEARLY VISIBLE (WITHOUT DEMOLITION).
- G. CONTRACTOR SHALL PATCH / SEAL WALL WHERE AIR OUTLETS AND UTILITIES THAT PENETRATE WALL WERE REMOVED.
- H. WHERE SURFACE MOUNTED ITEMS ARE REMOVED FROM WALLS, CEILING BOARDS, ROZEMANS, EQUIPMENT, ETC. - PATCH/REPAIR WALLS AS REQUIRED TO MATCH EXISTING ADJACENT FINISHES.
- L. COORDINATE WITH ELECTRICAL SUBCONTRACTOR FOR SELECTIVE DEMOLITION OF EXISTING WALLS FOR NEW ELECTRICAL AND DATA OUTLETS.

**DEMO KEY NOTES**

- NO (A-Z) - REMOVE NUMBER/LETTER
- A. REMOVE EXISTING DOOR, FRAME AND ASSOCIATED HARDWARE ITEMS. REPAIR AND REFINISH DOOR FRAME AND REPAIRS TO OTHER FOR REUSE. CONTRACTORS SHALL PATCH/REPAIR WALLS TO MATCH EXISTING ADJACENT FINISHES.
- B. REMOVE EXISTING DOOR TRACK, PATCH, PAINT AND REPAIR DOOR WALL.
- C. REMOVE EXISTING ANGLE GUIDE FROM FLOOR FROM TERRAZZO FLOOR. PATCH FLOOR WITH EPOXY TERRAZZO FINISH.
- D. DO NOT REMOVE/DAMAGE EXISTING WINDOW FRAME OR GLAZING.
- E. SALVAGE ALL PAGES THROUGH LOCK.
- F. DUMP INTO BINS, ALLOW FOLIAGES TO SELECT WHICH ONES THEY WANT TO KEEP.
- G. MAINTAIN CONTROLS AND MOTORS. PROVIDE MANUAL RELEASE KEY FOR DOORS.

**PLAN LEGEND**



**rhodes + brito**  
 ARCHITECTS  
 605 EAST ROBINSON ST., SUITE 750  
 ORLANDO, FL 32801  
 PH: (407) 844-7289  
 FX: (407) 844-7288  
 AA0002693  
 www.rhodesbrito.com



**Orange County**  
 Corrections  
 Facility  
 Building E, 5th & 6th Floor  
 Cell Doors & Locks Design

Capital Projects Division  
 400 East South Street, Suite 500,  
 Orlando, FL 32801

ALL REPRODUCTION AND INTELLECTUAL  
 PROPERTY RIGHTS RESERVED ©

Donald W. Williams, P.A. AIA  
 P. Reg. No. AA0082126  
 CONSTRUCTION DOCUMENTS


date	submitted/revision	no.


**BUILDING E**  
**5TH FLOOR**  
**DEMOLITION**

scale: GS shown  
 drawn: DW  
 check: DW  
 date: December 09, 2015  
 project no.: 12002\_0032

**AD205**


**BUILDING E**  
**5TH FLOOR DEMOLITION PLAN**  
 scale: 3/16" = 1'





**BUILDING E**  
**6TH FLOOR DEMOLITION PLAN**

scale: 3/16" = 1'



**GENERAL DEMO NOTES**

- A. FIELD VERIFY ALL EXISTING CONDITIONS PRIOR TO START OF WORK. NOTIFY OWNER IN WRITING OF ANY DISCREPANCIES PRIOR TO START OF DEMOLITION.
- B. CONFORM TO ALL APPLICABLE CODES FOR REMOVAL OF ITEMS TO BE REMOVED.
- C. PROTECT ALL EXISTING ITEMS TO REMAIN FROM DAMAGE. CONTRACTOR SHALL BEAR ALL COSTS FOR REPAIRING, REPLACING, REFINISHING ITEMS OF EXISTING ITEMS DAMAGED.
- D. DEMOLITION DRAWINGS MAY NOT INDICATE ALL ITEMS TO BE REMOVED. WHEN CUTTING INTO EXISTING WALLS, SLAB AND ROOF, CONTRACTOR SHALL TAKE EXTREME CARE AND CAUTION TO AVOID DAMAGING THE STRUCTURAL INTEGRITY OF THESE AREAS. CONTRACTOR SHALL DOCUMENT ALL WALL, FLOOR CUTS AND ROOF CUTS WHERE REPAIRING MEMBERS RESTORING AND MAINTAIN STRUCTURAL PERFORMANCE WHERE THE STRUCTURAL SYSTEM HAS BEEN COMPROMISED.
- F. CONTRACTOR SHALL VERIFY ALL UTILITIES (SHOWN OR NOT SHOWN ON DRAWINGS) THAT ARE TO REMAIN PRIOR TO DEMOLITION OR CUTTING INTO EXISTING WALLS, FLOORS, ROOFS AND CEILING. CONTRACTOR SHALL NOTIFY ALL UTILITIES AND CONTRACTOR SHALL NOT REQUEST ADDITIONAL CHARGES FOR SUCH UTILITIES THAT ARE CLEARLY VISIBLE (WITHOUT DEMOLITION).
- G. CONTRACTOR SHALL PATCH / SEAL WALL WHERE AIR OUTLETS AND UTILITIES THAT PENETRATE WALL WERE REMOVED.
- H. WHERE SURFACE MOUNTED ITEMS ARE REMOVED FROM WALLS, CEILING, ROOFS, MEZANINS, EQUIPMENT, ETC. - PATCH/REPAIR WALLS AS REQUIRED TO MATCH EXISTING ADJACENT FINISHES.
- L. COORDINATE WITH ELECTRICAL SUBCONTRACTOR FOR SELECTIVE DEMOLITION OF EXISTING WALLS FOR NEW ELECTRICAL AND DATA OUTLETS.

**DEMO KEY NOTES**

- NO (X) - REMOVE NUMBER/LETTER
- A. REMOVE EXISTING DOOR, FRAME AND ASSOCIATED HARDWARE ITEMS. REPAIR AND REFINISH DOOR FRAME AND REPAIRS TO OTHER FOR REUSE. CONSIDERABLE REPAIRS MAY BE REQUIRED TO REPAIR.
- B. REMOVE EXISTING DOOR TRACK, PATCH, PAINT AND REPAIR OADR WALL.
- C. REMOVE EXISTING ANGLE GUIDE FROM FROM TERRAZZO FLOOR. PATCH FLOOR WITH EPOXY TERRAZZO PATCH.
- D. DO NOT REMOVE/DAMAGE EXISTING WINDOW FRAME OR GLAZING.
- E. SALVAGE ALL PAGES THROUGH LOCK.
- F. DUMP INTO BINS, ALLOW FOLIAGES TO SELECT WHICH ONES THEY WANT TO KEEP.
- G. MAINTAIN CONTROLS AND MOTORS, PROVIDE MANUAL RELEASE KEY FOR DOOR.

**PLAN LEGEND**

- EXISTING WALL TO REMAIN
- PROTECT FROM DAMAGE
- EXISTING WALL TO BE REMOVED
- EXISTING DOOR TO REMAIN
- PROTECT FROM DAMAGE
- EXISTING DOOR TO BE REMOVED
- EXISTING WINDOW TO REMAIN
- PROTECT FROM DAMAGE
- EXISTING WINDOW TO BE REMOVED
- FLOOR SLAB CUT

**rhodes + brito**  
**ARCHITECTS**  
605 EAST ROBINSON ST. SUITE 750  
ORLANDO, FL 32801  
PH: (407) 644-7299  
FX: (407) 644-7298  
AA0002693  
www.rhodesbr.com



**Orange County**  
**Corrections**  
**Facility**  
**Building E, 5th & 6th Floor**  
**Cell Doors & Locks Design**

Capital Projects Division  
400 East South Street, Suite 500,  
Orlando, FL 32801  
ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

Donald W. Williams, P.A. AIA  
P. Reg. No. AA0082126  
CONSTRUCTION DOCUMENTS

date	submitted/revision	no.

**BUILDING E**  
**6TH FLOOR**  
**DEMOLITION PLAN**

scale: GS shown  
drawn: DW  
check: DW  
date: December 09, 2015  
project no.: 12002\_0032

**AD206**



**GENERAL PLAN NOTES**

- CONTRACTOR TO FIELD VERIFY EXISTING PRIOR TO CONSTRUCTION. CONTRACTOR TO NOTIFY OWNER/ARCHITECT IF DISCREPANCIES BETWEEN EXISTING AND DRAWINGS.
- SEE INTERIOR ELEVATIONS FOR ADDITIONAL DIMENSIONS AND INFORMATION.
- CONTRACTOR TO REPAIR OPENINGS IN FIRE RATED WALLS TO MAINTAIN POSTED RATING.
- ALL EXISTING INTERIOR WALLS, DOORS AND FRAMES WITHIN THE PROJECT LIMITS OF SCOPE OF WORK TO BE PAINTED.
- REPAIR EXISTING WALLS AT LOCATIONS WHERE NEW ELECTRICAL OUTLETS HAVE BEEN INSTALLED.
- PATCH AND REPAIR ALL GROGGED TERRAZZO FLOORS FROM THE REMOVAL OF FLOOR ANGLES IN THE LIMITS OF SCOPE OF WORK.

**NOTES TO SHEET**


- NEW CELL DOOR
- NEW DOOR FRAME
- NEW SECURITY GLAZING
- REMOVE AND REPAIR WALL WHERE WALL WAS DEMOLISHED, WHICH ADJACENT ENERGIES
- PAINT ALL WALL SURFACES ON OUTSIDE OF DETENTION CELLS
- MAINTAIN CONTROLS AND MOTOR FOR DOORS. PROVIDE MANUAL RELEASE KEY FOR DOOR.

**PLAN LEGEND**



**BUILDING E, 5TH FLOOR**

scale: 3/16" = 1'



**Orange County  
Corrections  
Facility**  
Building E, 5th & 6th Floor  
Cell Doors & Locks Design

Capital Projects Division  
400 East South Street, Suite 500,  
Orlando, FL 32801

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

Donald W. Williams, P.A. AIA  
Fl. Reg. No. AA0082126  
CONSTRUCTION DOCUMENTS

date	submitted/revision no.

**BUILDING E  
5TH FLOOR PLAN**

scale: as shown  
drawn: DW  
check: DW  
date: December 09, 2015  
project no: 12002\_0032

**A205**



**GENERAL PLAN NOTES**

- CONTRACTOR TO FIELD VERIFY EXISTING PRIOR TO CONSTRUCTION. CONTRACTOR TO INFORM OWNER/ARCHITECT IF DISCREPANCIES BETWEEN EXISTING AND DRAWINGS.
- SEE INTERIOR ELEVATIONS FOR ADDITIONAL DIMENSIONS AND INFORMATION.
- CONTRACTOR TO REPAIR OPENINGS IN FIRE RATED WALLS TO MAINTAIN POSTED RATING.
- ALL EXISTING INTERIOR WALLS, DOORS AND FRAMES WITHIN THE PROJECT LIMITS OF SCOPE OF WORK TO BE PAINTED.
- REPAIR EXISTING WALLS AT LOCATIONS WHERE NEW ELECTRICAL OUTLETS HAVE BEEN INSTALLED.
- PATCH AND REPAIR ALL GYPSED TERRAZZO FLOORS FROM THE REMOVAL OF DOOR ANGLES IN THE LIMITS OF SCOPE OF WORK.

**NOTES TO SHEET**

- NEW CELL DOOR
- NEW DOOR FRAME
- NEW SECURITY GLAZING
- PAINT AND REPAIR WALL WHERE WALL WAS DEMOLISHED, WHICH ADJACENT ENERGIES
- PAINT ALL WALL SURFACES ON OUTSIDE OF DETENTION CELLS
- MAINTAIN CONTROLS AND MOTOR FOR DOORS. PROVIDE MANUAL RELEASE KEY FOR DOOR.

**PLAN LEGEND**



**BUILDING E, 6TH FLOOR**

A7  
A206

scale: 3/16" = 1'



**rhodes + brito**  
ARCHITECTS  
606 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801  
PH: (407) 648-7289  
FX: (407) 648-7288  
AA0002893  
www.rhodesbr.com



**Orange County**  
Corrections  
Facility  
Building E, 5th & 6th Floor  
Cell Doors & Locks Design

Capital Projects Division  
400 East South Street, Suite 500,  
Orlando, FL 32801

ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©








Donald W. Williams, P.A. AIA  
Fl. Reg. No. AA00082126  
CONSTRUCTION DOCUMENTS

date	submitto/revision	no.

**BUILDING E  
6TH FLOOR PLAN**


scale: as shown  
drawn: DW  
check: DW  
date: December 09, 2015  
project no: 12002\_0032

**A206**



- GENERAL PLAN NOTES**
- CONTRACTOR TO FIELD VERIFY EXISTING PRIOR TO CONSTRUCTION. CONTRACTOR TO INFORM OWNER/ARCHITECT IF DISCREPANCIES BETWEEN EXISTING AND DRAWINGS.
  - SEE INTERIOR ELEVATIONS FOR ADDITIONAL DIMENSIONS AND INFORMATION.
  - CONTRACTOR TO REPAIR OPENINGS IN FIRE RATED WALLS TO MAINTAIN POSTED RATING.
  - ALL EXISTING INTERIOR WALLS, DOORS AND FRAMES WITHIN THE PROJECT LIMITS OF SCOPE OF WORK TO BE PAINTED.
  - REPAIR EXISTING WALLS AT LOCATIONS WHERE NEW ELECTRICAL OUTLETS HAVE BEEN INSTALLED.
  - PATCH AND REPAIR ALL GYPSED TERRAZZO FLOORS FROM THE REMOVAL OF DOOR ANGLES IN THE LIMITS OF SCOPE OF WORK.

- NOTES TO SHEET**
- NEW CELL DOOR
  - NEW DOOR FRAME
  - NEW SECURITY GLAZING
  - PATCH AND REPAIR WALL WHERE WALL WAS DEMOLISHED, WHICH ADJACENT FINISHES
  - PAINT ALL WALL SURFACES ON OUTSIDE OF DETENTION CELLS
  - MAINTAIN CONTROLS AND MOTOR FOR DOORS. PROVIDE MANUAL RELEASE KEY FOR DOOR.



**rhodes + brito**  
ARCHITECTS  
606 EAST ROBINSON ST., SUITE 750  
ORLANDO, FL 32801  
PH: (407) 648-7288  
FX: (407) 648-7289  
AA: 00028283  
www.rhodesbr.com

**ORANGE COUNTY**  
GOVERNMENT  
FLORIDA

**Orange County**  
Corrections  
Facility  
Building E, 5th & 6th Floor  
Cell Doors & Locks Design

Capital Projects Division  
400 East South Street, Suite 500,  
Orlando, FL 32801  
ALL REPRODUCTION AND INTELLECTUAL  
PROPERTY RIGHTS RESERVED ©

Donald W. Williams, P.A. AIA  
Fl. Reg. No. AB0082126  
CONSTRUCTION DOCUMENTS

date	submitted/revision no.

**BUILDING E**  
**5TH & 6TH FLOOR**  
**DETAILS & ELEVATIONS**

scale: as shown  
drawn: DW  
check: DW  
date: December 09, 2015  
project no: 12002\_0032

**A500**