


# RETENTION POND SUMMARY REPORT

Pond 6144 PINAR HEIGHTS



PORTION OF LOTS 61-67, PINAR HEIGHTS, AS RECORDED IN PLAT BOOK 4, PAGE 149  
ORANGE COUNTY, FLORIDA

## TYPE OF POND

Wet Pond  
Dry Pond

## CLASSIFICATION

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

## EMERGENCY PRIORITY

High  
Medium  
Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

○ Low △ Med ☆ High

## POND LOCATION

Comm. Distr.: 3

Maint  
Dist.: 3 Points

Quadrant: NE

S.T.R. : 35-22-30

Pb/Pg: 04/149

O.R.: None

Total  
Area: 1.46 ac.

spray 1.29 ac

Northing: 1,527,450

Easting: 565,394

Latt: 28°32'07.27"

Long: 81°16'57.76"

Pond 6144

FDEP  
Permit  
No.:

SFWMD  
Permit  
No.:

SJWMD  
Permit  
No.: 42-095-0450N

Fenced: Partial

NHW El: \_\_\_\_\_

Ctrl El: \_\_\_\_\_

Weir El: \_\_\_\_\_

Bleeder El: \_\_\_\_\_

Side Slope: 3.8:1

R/W: Yes

Berm Width: 17'-35'

Carp: Yes, 02-05-00

Underdrain: No

Land Locked: No

Positive  
Outfall: Yes


Liner Type: \_\_\_\_\_

Grass Type: Bahia

Pond Completion  
Date: 08-07-89

### Pond Access:

From the intersection of Lake Underhill Rd and S Goldenrod Rd, drive South on S Goldenrod Rd for 0.3 miles to Alachua St. Turn Left (East) onto Alachua St. Drive 0.2 miles to pond on the Right (South). Pond Access is located from Alachua St just past its intersection with High Meadow Cir.



# RETENTION POND SUMMARY REPORT

Pond 6146 NORTH TANNER ROAD



FDEP Permit No.: \_\_\_\_\_  
 SFWMD Permit No.: \_\_\_\_\_  
 SJWMD Permit No.: \_\_\_\_\_  
 Fenced: Yes  
 NHW EI: \_\_\_\_\_  
 Ctrl EI: \_\_\_\_\_  
 Weir EI: \_\_\_\_\_  
 Bleeder EI: \_\_\_\_\_  
 Side Slope: 1.7-2.3:1

## TYPE OF POND

Wet Pond  
 Dry Pond

## CLASSIFICATION

MSTU  
Non-MSTU  
 Home Owners  
 Comm/Residential

## EMERGENCY PRIORITY

High  
 Medium  
 Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
 Debris Tolerance  
 Clogging Tendency  
 Spraying Frequency  
 Accessibility

Low  Med  High

## POND LOCATION

Comm. Distr.: 5

Maint Dist.: Bithlo

Quadrant: NE

S.T.R. : 12-22-31

Pb/Pg: None

O.R.: 2997/54

Total Area: 19.6 ac.

spray 10.15 ac


Northing: 1,548,214

Easting: 600,245

Latt: 28°35'33.51"

Long: 81°10'27.34"

**Pond 6146**



R/W: Yes  
 Berm Width: 12'-25'  
 Carp: \_\_\_\_\_  
 Underdrain: No  
 Land Locked: No  
 Positive Outfall: No  
 Liner Type: \_\_\_\_\_  
 Grass Type: Bahia  
 Pond Completion Date: \_\_\_\_\_

**Pond Access:**  
 From the intersection of Lake Pickett Rd and N Tanner Rd, drive North on N Tanner Rd for 0.8 miles to ponds on the Left (West). Turn Left (West) onto pond access road. (If you reach Lake Price Dr, you have gone too far.) Pond Access is located from this dirt access road. There are two individual ponds at this location.

# RETENTION POND SUMMARY REPORT

Pond 6154 WATSON RANCH ESTATES, NORTH OF LAKE MARGARET



FDEP Permit No.: N/A  
 SFWMD Permit No.: N/A  
 SJWMD Permit No.: N/A  
 Fenced: Complete  
 NHW EI: N/A  
 Ctrl EI: N/A  
 Weir EI: N/A  
 Bleeder EI: N/A  
 Side Slope: 3.6:1

**TYPE OF POND**

Wet Pond  
 Dry Pond

**CLASSIFICATION**

MSTU  
 Non-MSTU  
 Home Owners  
 Comm/Residential

**EMERGENCY PRIORITY**

High  
 Medium  
 Low

**MAINTENANCE REQUIREMENTS**


Mowing Cycle  
 Debris Tolerance   
 Clogging Tendency  
 Spraying Frequency   
 Accessibility   
 Low  Med  High

**POND LOCATION**

Comm. Distr.: 4  
 Maint Dist.: Three Points  
 Locale: SE  
 S.T.R. : 08-23-30-NW  
 Pb/Pg: 06/057  
 O.R.: 6131/3040  
 Total Area: 0.12 ac.

**spray .04 ac**  
 Northing: 1,517,811  
 Easting: 547,398  
 Latt: 28° 30' 31.37"N  
 Long: 81° 20' 19.21"W

**Pond 6154**



R/W: No  
 Berm Width: 8'  
 Carp: No  
 Underdrain: No  
 Land Locked: Yes  
 Positive Yes, Outfall: Lake Lagrange  
 Liner Type: N/A  
 Grass Type: Bahia  
 Pond Completion Date: N/A

**Note:**  
 Access Pond location using residents driveway at 2825 Conway Gardens rd.


**Pond Access:**  
 From the intersection of Lake Margaret Dr and Conway Gardens Rd, drive North on Conway Gardens Rd for 0.18 miles. The Pond is on the right (East) side behind homes. The Pond Access is at 2825 Conway Gardens Rd.

# RETENTION POND SUMMARY REPORT

Pond 6160 OLD CHENEY HWY AT COLETTA DRIVE



POND 6160- OLD CHENEY HIGHWAY AT COLETTA DRIVE  
LOT 1, BLOCK A, FIRST ADDITION TO LAKE BARTON MANOR, AS RECORDED IN PLAT BOOK S, PAGE 129, ORANGE COUNTY, FLORIDA



POND 6160- RETENTION AREA

- LEGEND
- Δ = DELTA
  - L = LENGTH
  - R = RADIAL/ RADIUS
  - NR = NON-RADIAL
  - TOB = TOP OF BANK
  - TOE = TOE OF BANK
  - (F) = PLAT
  - (D) = DEED
  - RCP = REINFORCED CONCRETE PIPE
  - ⊗ = STORM MANHOLE
  - ⊙ = SANITARY MANHOLE
  - ⊕ = TELEPHONE PEDESTAL
  - ⊖ = POWER POLE
  - ⊗ = GUY WIRE
  - ⊕ = WATER VALVE
  - ⊖ = WATER METER
  - ⊗ = SIGN
  - ⊗ = COUNTY FENCE
  - ⊖ = OTHER FENCE
  - W-W- = WATER LINE



FDEP Permit No.:

SFWM Permit No.:

SJWMD Permit No.:

Fenced: CNTY

NHW EI: N/L

Ctrl EI: 95.00

Weir EI: N/L

Bleeder EI: N/L

Side Slope: 2:1

R/W: Yes

Berm Width: 2'

Carp: No

Underdrain: No

Land Locked: N/L

Positive Outfall: N/L

Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: 1982

N/L= Not located

### Pond Access:

From the intersection of E. Colonial Dr. and N. Semoran Blvd., drive east on E. Colonial Dr. for approximately 0.2 miles. Turn left (north) onto Coletta Dr. and continue for 800'. The pond is located on the right (east) side of road, just 150' prior to the intersection of Coletta Dr. and Old Cheney Hwy.



### TYPE OF POND

Wet Pond  
Dry Pond

### CLASSIFICATION

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

### EMERGENCY PRIORITY

High  
Medium  
Low

### MAINTENANCE REQUIREMENTS

Mowing Cycle  
Debris Tolerance ☆  
Clogging Tendency  
Spraying Frequency △  
Accessibility ☆  
○Low △Med ☆High

### POND LOCATION

Comm. Distr.: 3  
Maint Dist.: Goldenrod  
Locale: NE  
S.T.R. : 22-22-30-NW  
Pb/Pg: 5/ 129  
O.R.: 3089/1345

Total Area: 0.17 ac.

spray .07 ac

Northing: 1,537,061

Easting: 557,174

Latt: 28°33'42.221"

Long: 81°18'30.191"

Pond 6160

# RETENTION POND SUMMARY REPORT

Pond 6171 LAKE GEORGIA DRIVE # 2



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: \_\_\_\_\_

Fenced: No

NHW EI: \_\_\_\_\_

Ctrl EI: \_\_\_\_\_

Weir EI: \_\_\_\_\_

Bleeder EI: \_\_\_\_\_

Side Slope: 1.6-1.7:1

R/W: Yes

Berm Width: 8' - 30'

Carp: \_\_\_\_\_

Underdrain: No

Land Locked: No

Positive Outfall: No

Liner Type: \_\_\_\_\_

Grass Type: Bahia

Pond Completion Date: \_\_\_\_\_

**Pond Access:**

From the intersection of University Blvd and N Dean Rd, drive North on N Dean Rd for 0.3 miles to Lake Georgia Dr. Turn Left (West) onto Lake Georgia Dr to the Pond on the Left (South.) Pond Access is located between 9994 and 9998 Lake Georgia Dr. (NOTE: THIS IS AN ORANGE COUNTY DRAINAGE EASEMENT THAT MAY LOOK LIKE IT IS JUST A PRIVATE POND ON PRIVATE PROPERTY!)

**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

Low  Med  High

**POND LOCATION**

Comm. Distr.: 5

Maint Dist.: Goldenrod

Quadrant: NE

S.T.R. : 06-22-31

Pb/Pg: None

O.R.: 2956/1903

Total Area: 0.52 ac.

spray .20 ac

Northing: 1,551,348

Easting: 577,490


Latt: 28°36'04.15"

Long: 81°14'42.68"

**Pond 6171**


LAKE GEORGIA DR #2, NON-MSTU POND # 6171, AS RECORDED IN OR BOOK 2956, PAGES 1902 & 1903 ORANGE COUNTY, FLORIDA

Note: Property Boundary Lines are from Orange County GIS data and are approximate.



**LEGEND**

TOP OF BANK	THREE
WATER EDGE	MITER END
TOE OF SLOPE	WEIR
OVERFLOW	TREELINE
CLEANOUT	DRAIN MH
SMN	SANIT MH
UTILITY POLE	MISC. MH
INLET	CNTY FENCE
DATE	OTHR FENCE



# RETENTION POND SUMMARY REPORT

**Pond 6175 ORLO VISTA HEIGHTS ADD., N. OF OLD WINTER GARDEN RD.**



**FDEP Permit No.:** \_\_\_\_\_

**SFWMD Permit No.:** \_\_\_\_\_

**SJWMD Permit No.:** \_\_\_\_\_

**Fenced:** CNTY

**NHW EI:** N/L

**Ctrl EI:** N/L

**Weir EI:** N/L

**Bleeder EI:** N/L

**Side Slope:** Varies

**R/W:** Yes

**Berm Width:** 10'

**Carp:** No

**Underdrain:** No

**Land Locked:** Yes

**Positive Outfall:** No

**Liner Type:** N/A

**Grass Type:** Bahia

**Pond Completion Date:** N/L

**N/L= Not located**

**Pond Access:**

From the intersection of W. Colonial Drive (SR50) and N. Hiawassee Rd., drive south on Hiawassee Rd. for 0.7 miles. Turn left (east) onto Grand Junction Blvd. and drive for 200', turn left (north) onto Chantry St. and continue for 0.5 miles. Turn right (south) onto N. Buena Vista Ave. The pond is located approximately 850' on the right (west).

**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

○ Low △ Med ☆ High

**POND LOCATION**

**Comm. Distr.:** 6

**Maint Dist.:** John Young

**Quadrant:** SW

**S.T.R. :** 25 - 22 - 28

**Pb/Pg:** L / 75

**O.R.:** 2995/871

**Total Area:** 1.12 ac.

**spray .62 ac**

**Northing:** 1,529,761


**Easting:** 505,514

**Latt:** 28°32'28.281"

**Long:** 81°28'09.215"

**Pond 6175**

POND 6175- ORLO VISTA HEIGHTS ADDITION  
LOTS 20-26 INCLUSIVE, BLOCK H, ORLO VISTA HEIGHTS ADDITION  
AS RECORDED IN PLAT BOOK L, PAGE 75  
ORANGE COUNTY, FLORIDA



POND 6175- RETENTION AREA

-----LEGEND-----

- |                                       |                        |
|---------------------------------------|------------------------|
| △ = DELTA                             | ⊙ = STORM MANHOLE      |
| L = LENGTH                            | ⊙ = SANITARY MANHOLE   |
| R = RADIAL/ RADIUS                    | ⊙ = TELEPHONE PEDISTAL |
| NR = NON-RADIAL                       | ⊙ = POWER POLE         |
| TOB = TOP OF BANK                     | ⊙ = GUY WIRE           |
| TOE = TOE OF BANK                     | ⊙ = WATER VALVE        |
| (P) = PLAT                            | ⊙ = WATER METER        |
| (D) = DEED                            | ⊙ = SIGN               |
| S1 = 30" RCP WITH HEADWALL            | ⊙ = COUNTY FENCE       |
| S2 = 30" RCP WITH MITERED END SECTION | ⊙ = OTHER FENCE        |
| RCP = REINFORCED CONCRETE PIPE        | -W-W- = WATER LINE     |

POND #6175




# RETENTION POND SUMMARY REPORT

Pond 6181 CRESCENT HEIGHTS, N. OF ROBINSON ST.



POND 6181- CRESCENT HEIGHTS, NORTH OF ROBINSON STREET  
LOT 9, BLOCK F, CRESCENT HEIGHTS, AS RECORDED IN PLAT BOOK X, PAGE 46  
ORANGE COUNTY, FLORIDA



POND 6181- RETENTION AREA

- LEGEND**
- Δ = DELTA
  - L = LENGTH
  - R = RADIAL/ RADIUS
  - NR = NON-RADIAL
  - TOB = TOP OF BANK
  - TOE = TOE OF BANK
  - (P) = PLAT
  - (D) = DEED
  - RCP = REINFORCED CONCRETE PIPE
  - ⊙ = STORM MANHOLE
  - ⊙ = SANITARY MANHOLE
  - ⊙ = TELEPHONE PEDESTAL
  - ⊙ = POWER POLE
  - ⊙ = GUY WIRE
  - ⊙ = WATER VALVE
  - ⊙ = WATER METER
  - ⊙ = SIGN
  - x-x- = COUNTY FENCE
  - o-o- = OTHER FENCE
  - w-w- = WATER LINE

*Edge of Road*  
POND #6181  
**Berryman**  
**Hendigar**

FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

**SJWMD Permit** No.: \_\_\_\_\_

Fenced: CNTY

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: Varies

R/W: Yes

Berm Width: 5'

Carp: No

Underdrain: No

Land Locked: Yes

Positive Outfall: Flows to Pond 6129 & DW052  
Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: N/L

N/L= N/L

**Pond Access:**

From the intersection of the East-West Exp. (SR408) and N. Kirkman Rd., drive south on N. Kirkman Rd. for approximately 0.25 miles. Turn right (west) onto W. Robinson St. and continue for 0.3 miles. Turn right (north) onto N. Nowell St. and continue for 200'. The pond is located on the left (west) side of the road, 50' offset from Nowell St.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance ☆  
Clogging Tendency  
Spraying Frequency △  
Accessibility ☆  
○Low △Med ☆High

**POND LOCATION**

Comm. Distr.: 1

Maint Dist.: John Young

Locale: SW

S.T.R. : 25-22-28-NE

Pb/Pg: X/ 46

O.R.: 2003/06

Total Area: 1.57 ac.

**spray .28 ac**

Northing: 1,531,241

Easting: 507,232


Latt: 28°32'43.004"

Long: 81°27'50.021"

**Pond 6181**

# RETENTION POND SUMMARY REPORT

Pond 6189 OVERSTREET SUBDIVISION, NORTH APOPKA BLVD, WEST OF VULCAN ROAD



FDEP Permit No.: N/A

SFWMD Permit No.: N/A

SJWMD Permit No.: N/A

Fenced: Complete

NHW EI: N/A

Ctrl EI: N/A

Weir EI: N/A

Bleeder EI: N/A

Side Slope: 1.1:1

R/W: No

Berm Width: 30'

Carp: No

Underdrain: No

Land Locked: Yes

Positive Drain Well Outfall: DW-133

Liner Type: N/A

Grass Type: Bahia

Pond Completion Date: N/A



## TYPE OF POND

Wet Pond

Dry Pond

## CLASSIFICATION

MSTU

Non-MSTU

Home Owners Comm/Residential

## EMERGENCY PRIORITY

High  
Medium

Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle

Debris Tolerance ☆

Clogging Tendency

Spraying Frequency △

Accessibility ☆

○ Low △ Med ☆ High

## POND LOCATION

Comm. Distr.: 2

Maint Dist.: Apopka

Locale: NW

S.T.R.: 24-21-28-SE

Pb/Pg: None

O.R.: 1299/188

Total Area: 1.82 ac.

spray .47 ac


Northing: 1,566,566

Easting: 507,423

Latt: 28° 38' 32.77"N

Long: 81° 27' 49.40"W

**Pond 6189**



## Pond Access:

From the intersection of N Hiawasse Rd and S Apopka Blvd, drive Southeast on S Apopka Blvd for 0.64 miles. The Pond is on the left (East) side. The Pond Access is off of S Apopka Blvd.





# RETENTION POND SUMMARY REPORT

Pond 6209 BUMBY & GATLIN AVENUE, N. OF GATLIN AVE.



POND 6209- BUMBY AND GATLINE AVENUE, NORTH OF GATLIN AVENUE  
LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 4277, PAGE 2398, AND  
OFFICIAL RECORDS BOOK 2820, PAGE 567, ORANGE COUNTY, FLORIDA



FDEP Permit No.: \_\_\_\_\_

SWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: \_\_\_\_\_

Fenced: CNTY

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: Varies

R/W: Yes

Berm Width: 6'

Carp: No

Underdrain: No

Land Locked: No

Positive Outfall: Lk. Conway

Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: N/L

N/L= Not located

### Pond Access:

From the intersection of S. Orange Ave. and Gatlin Ave., drive east on Gatlin Ave. for approximately 1.4 miles. The pond is located on the northwestern corner of the intersection of Gatlin Ave. with S. Bumby Ave.



### TYPE OF POND

Wet Pond  
Dry Pond

### CLASSIFICATION

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

### EMERGENCY PRIORITY

High  
Medium  
Low

### MAINTENANCE REQUIREMENTS

Mowing Cycle  
Debris Tolerance     
Clogging Tendency  
Spraying Frequency     
Accessibility     
 Low  Med  High

### POND LOCATION

Comm. Distr.: 4  
Maint Dist.: 3 Points  
Locale: SE  
S.T.R. : 07-23-30-SW

Pb/Pg: See below  
O.R.: 2820/567 and 4277/2398

Total Area: 1.15 ac.

**spray .55 ac**

Northing: 1,512,832

Easting: 543,065


Latt: 28°29'41.939"

Long: 81°21'07.628"

Pond 6209

# RETENTION POND SUMMARY REPORT

Pond 6210 CONWAY TERRACE SUBDIVISION



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: \_\_\_\_\_

Fenced: Yes

NHW El: \_\_\_\_\_

Ctrl El: \_\_\_\_\_

Weir El: \_\_\_\_\_

Bleeder El: \_\_\_\_\_

Side Slope: 2.2-2.4:1

R/W: Yes

Berm Width: 8' - 18'

Carp: \_\_\_\_\_

Underdrain: No

Land Locked: No

Positive Outfall: No

Liner Type: \_\_\_\_\_

Grass Type: Bahia

Pond Completion Date: \_\_\_\_\_

**Pond Access:**

From the intersection of S Fern Creek Ave and Curry Ford Rd, drive East on Curry Ford Rd for 0.25 miles to Groveland Ave. Turn Left (North) onto Groveland Ave. Drive 0.1 miles to Raehn St. Turn Right (East) onto Raehn St to pond on the Left (North). Pond Access is located South of 1325 Groveland Ave.

**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

Low  Med  High

**POND LOCATION**

Comm. Distr.: 4

Maint Dist.: 3 Points

Quadrant: SE

S.T.R. : 31-22-30

Pb/Pg: G/119

O.R.: None

Total Area: 0.32 ac.

spray .11 ac

Northing: 1,524,060


Easting: 542,077

Latt: 28°31'33.08"

Long: 81°21'19.06"

**Pond 6210**

LOTS 7 & 8, CONWAY TERRACE, AS RECORDED IN PLAT BOOK G, PAGE 119  
ORANGE COUNTY, FLORIDA




GROVELAND AVE

RAEHN ST

**LEGEND**

- TOP OF BANK
- WATER EDGE
- TOE OF SLOPE
- OVERFLOW CLEANOUT
- SIGN
- UTILITY POLE
- INLET
- GATE
- PIPE
- METER END
- WEIR
- TREE LINE
- DRAIN, MH
- SANIT, MH
- MISC, MH
- COUNTY FENCE
- OTHER FENCE



# RETENTION POND SUMMARY REPORT

Pond 6220 SWANN LAKE MANOR, PARCEL, N. OF PERKINS RD.



## TYPE OF POND

Wet Pond  
Dry Pond

## CLASSIFICATION

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

## EMERGENCY PRIORITY

High  
Medium  
Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

Low Med High

## POND LOCATION

Comm. Distr.: 4  
Maint Dist.: 3Points  
Quadrant: SE  
S.T.R. : 25 - 23 - 29  
Pb/Pg: X/ 63  
O.R.: See above  
Total Area: 1.27

spray 1.27 ac

Northing: 1,499,892

Easting: 538,927


Latt: 28°27'33.694"

Long: 81°21'53.557"

Pond 6220



POND 6220- SWANN LAKE MANOR, PARCEL, NORTH OF PERKINS ROAD  
SWANN LAKE, SWANN LAKE MANOR, AS RECORDED IN PLAT BOOK X, PAGE 83  
ORANGE COUNTY, FLORIDA



FDEP Permit No.:

SFWMD Permit No.:

SJWMD Permit No.:

Fenced: PART CNTY & PART PRVT  
NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: 3:1

R/W: No

Berm Width: None

Carp: Yes

Underdrain: No

Land Locked: Yes

Positive Outfall: Pump Stat 036

Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: N/L

N/L= N/L

### Pond Access:

From the intersection of S. Orange Ave. and E. Sand Lake Rd., drive north on S. Orange Ave. for approximately 0.5 miles. Turn right (east) onto Perkins Rd. and continue for 700'. Turn left (north) onto Harvey St. and drive for approximately 500'. The pond is located on the left (west) side of the road., 300' offset from the Harvey St.

# RETENTION POND SUMMARY REPORT

Pond 6225 NORTH PINE HILLS



FDEP Permit No.: N/A  
 SFWMD Permit No.: N/A  
 SJWMD Permit No.: N/A  
 Fenced: Complete  
 NHW EI: N/A  
 Ctrl EI: N/A  
 Weir EI: N/A  
 Bleeder EI: N/A  
 Side Slope: 2.9:1

## TYPE OF POND

Wet Pond  
 Dry Pond

## CLASSIFICATION

MSTU  
Non-MSTU  
 Home Owners  
 Comm/Residential

## EMERGENCY PRIORITY

High  
 Medium  
Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
 Debris Tolerance     
 Clogging Tendency  
 Spraying Frequency     
 Accessibility     
 Low  Med  High


## POND LOCATION

Comm. Distr.: 2  
 Maint Dist.: Apopka  
 Locale: NW  
 S.T.R. : 06-22-29-SE  
 Pb/Pg: X/107  
 O.R.: None

Total Area: 0.81 ac.

**spray .28 ac**  
 Northing: 1,552,017  
 Easting: 512,798  
 Latt: 28° 36' 8.91"N  
 Long: 81° 26' 48.48"W

**Pond 6225**



R/W: No  
 Berm Width: 18'  
 Carp: No  
 Underdrain: No  
 Land Locked: Yes  
 Positive Outfall: No  
 Liner Type: N/A  
 Grass Type: Bahia  
 Pond Completion Date: N/A

**Note:**  
 Pond has no designated access, use residents gate at 5008 liming ave.

**Pond Access:**  
 From the intersection of North Ln and N Pine Hills Rd, drive North on N Pine Hills Rd for 0.41 miles to Liming Ave. Turn right (East) onto Liming Ave. Drive. Drive 0.27 miles to the Pond located behind homes. Pond Access is at 5008 Liming Ave.

# RETENTION POND SUMMARY REPORT

Pond 6227 BOGGY CREEK 2, EAST OF BOGGY CREEK ROAD, SOUTH OF DOWDEN ROAD



FDEP Permit No.: N/A  
 SFWMD Permit No.: N/A  
 SJWMD Permit No.: N/A  
 Fenced: Complete  
 NHW EI: N/A  
 Ctrl EI: N/A  
 Weir EI: N/A  
 Bleeder EI: N/A  
 Side Slope: 1.7:1

## TYPE OF POND

Wet Pond  
 Dry Pond

## CLASSIFICATION

MSTU  
 Non-MSTU  
 Home Owners  
 Comm/Residential

## EMERGENCY PRIORITY

High  
 Medium  
Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
 Debris Tolerance ☆  
 Clogging Tendency  
 Spraying Frequency △  
 Accessibility △


○ Low △ Med ☆ High

## POND LOCATION

Comm. Distr.: 4  
 Maint Dist.: Three Points  
 Locale: SE  
 S.T.R. : 06-24-30-SE  
 Pb/Pg: None  
 O.R.: 2651/0306  
 Total Area: 9.22 ac.

**spray 5.8 ac**  
 Northing: 1,488,758  
 Easting: 543,808  
 Latt: 28° 25' 43.61"N  
 Long: 81° 20' 58.51"W

**Pond 6227**



# RETENTION POND SUMMARY REPORT

Pond 6235 CONWAY ACRES, 4<sup>TH</sup> ADDITION



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: \_\_\_\_\_

Fenced: Yes

NHW EI: \_\_\_\_\_

Ctrl EI: \_\_\_\_\_

Weir EI: \_\_\_\_\_

Bleeder EI: \_\_\_\_\_

Side Slope: 1.9- 3.5:1

RW: Yes

Berm Width: 0' - 20'

Carp: \_\_\_\_\_

Underdrain: No

Land Locked: No

Positive Outfall: No

Liner Type: \_\_\_\_\_

Grass Type: Bahia

Pond Completion Date: \_\_\_\_\_

**Pond Access:**

From the intersection of S Semoran Blvd (SR 436) and Hoffner Ave, drive West on Hoffner Ave for 0.2 miles to Turnbull Dr. Turn Right (North) onto Turnbull Dr. Drive 0.1 mile to Colchester Dr. Turn Left (North) onto Colchester Dr. Pond is on the Right (East). Pond Access is located between 5915 Colchester Dr and 5020 Turnbull Dr. THIS IS ALSO CALLED "LAKE TURNBULL!"



**TYPE OF POND**

Wet Pond  
 Dry Pond

**CLASSIFICATION**

MSTU  
 Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
 Medium  
 Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

Low  Med  High

**POND LOCATION**

Comm. Distr.: 4

Maint Dist.: 3 Points

Quadrant: SE

S.T.R. : 16-23-30

Pb/Pg: 01/05

O.R.: None

Total Area: 4.26 ac.

**spray 2.55 ac**


Northing: 1,508,475

Easting: 555,348

Latt: 28°28'59.14"

Long: 81°18'49.83"

**Pond 6235**




# RETENTION POND SUMMARY REPORT

Pond 6239 EDGEWATER DR./ALL AMERICAN BLVD., S. OF EDGEWATER DR.



POND 6239- EDGEWATER DRIVE/ ALL AMERICAN BOULEVARD,  
SOUTH OF EDGEWATER DRIVE, LOTS 19 AND 20, AMERICAN BUSINESS CENTER,  
AS RECORDED IN PLAT BOOK 8, PAGES 21 AND 22, ORANGE COUNTY, FLORIDA



POND 6239- RETENTION AREA

- LEGEND**
- Δ = DELTA
  - L = LENGTH
  - R = RADIAL/ RADIUS
  - NR = NON-RADIAL
  - TOB = TOP OF BANK
  - TOE = TOE OF BANK
  - (P) = PLAT
  - (D) = DEED
  - RCP = REINFORCED CONCRETE PIPE
  - ⊙ = STORM MANHOLE
  - ⊕ = SANITARY MANHOLE
  - ⊕ = TELEPHONE PEDESTAL
  - ⊕ = POWER POLE
  - ⊕ = GUY WIRE
  - ⊕ = WATER VALVE
  - ⊕ = WATER METER
  - ⊕ = SIGN
  - X-X- = COUNTY FENCE
  - o-o- = OTHER FENCE
  - W-W = WATER LINE

POND #6239



FDEP Permit No.: \_\_\_\_\_  
 SFWMD Permit No.: \_\_\_\_\_  
**SJWMD Permit No.:** \_\_\_\_\_  
 Fenced: CNTY  
 NHW EI: N/L  
 Ctrl EI: N/L  
 Weir EI: N/L  
 Bleeder EI: N/L  
 Side Slope: 3:1

R/W: Yes  
 Berm Width: 10'  
 Carp: No  
 Underdrain: No  
 Land Locked: No  
 Positive Outfall: W-1 Little Wekiva Canal  
 Liner Type: N/L  
 Grass Type: Bahia  
 Pond Completion Date: N/L  
 N/L= N/L

**Pond Access:**  
 From the intersection of Lee Rd. and Edgewater Dr., drive north on S. Orange Ave. for approximately 1 mile. Turn left (west) onto All American Bv. and continue for 400'. The pond is located on the right (north) side of the road, 200' offset from All American Bv.



<b>TYPE OF POND</b>	Wet Pond Dry Pond
<b>CLASSIFICATION</b>	MSTU Non-MSTU Home Owners Comm/Residential
<b>EMERGENCY PRIORITY</b>	High Medium Low
<b>MAINTENANCE REQUIREMENTS</b>	Mowing Cycle Debris Tolerance $\Delta$ Clogging Tendency Spraying Frequency $\Delta$ Accessibility $\star$ Low $\circ$ Med $\Delta$ High $\star$
<b>POND LOCATION</b>	Comm. Distr.: <u>2</u> Maint Dist.: <u>Apopka</u> Locale: <u>NE</u> S.T.R. : <u>33-21-29-SW</u> Pb/Pg: <u>6/ 21</u> O.R.: <u>3120/2166</u> Total Area: <u>1.74 ac.</u> <b>spray .72 ac</b> Northing: <u>1,555,619</u> Easting: <u>521,253</u> Latt: <u>28°36'44.887"</u> Long: <u>81°25'13.766"</u>
<b>Pond 6239</b>	

# RETENTION POND SUMMARY REPORT

Pond 6241 PAGE AVENUE & DAWLEY AVENUE - ORLANDO



## TYPE OF POND

Wet Pond  
 Dry Pond

## CLASSIFICATION

MSTU  
 Non-MSTU  
 Home Owners  
 Comm/Residential

## EMERGENCY PRIORITY

High  
 Medium  
 Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
 Debris Tolerance  
 Clogging Tendency  
 Spraying Frequency  
 Accessibility

Low  Med  High

## POND LOCATION

Comm. Distr.: 4

Maint Dist.: 3 Points

Quadrant: SE

S.T.R. : 05-23-30

Pb/Pg: G/90

O.R.: None

Total Area: 0.89 ac.

spray .30 ac

Northing: 1,520,602

Easting: 544,881

Latt: 28°30'58.93"

Long: 81°20'47.52"

Pond 6241



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: \_\_\_\_\_

Fenced: Yes

NHW EI: \_\_\_\_\_

Ctrl EI: \_\_\_\_\_

Weir EI: \_\_\_\_\_

Bleeder EI: \_\_\_\_\_

Side Slope: 4.4-5.7:1

R/W: Yes

Berm Width: 10'

Carp: \_\_\_\_\_

Underdrain: No

Land Locked: No

Positive Outfall: No

Liner Type: \_\_\_\_\_

Grass Type: Bahia

Pond Completion Date: \_\_\_\_\_

### Pond Access:

From the intersection of Curry Ford Rd and S Bumby Ave, drive South on S Bumby Ave for 0.5 miles to E Grant Ave. Turn Left (East) onto E Grant Ave. Drive 0.25 miles to Peel Ave. Turn Right (South) onto Peel Ave. Drive 0.1 miles to Page Ave. Turn Left (East) onto Page Ave. Drive 0.1 miles to pond on the Left (North). Pond Access is located between 2815 Page Ave and 2324 Dawley Ave and across from 2916 Page Ave.

PARCEL #05-23 30 3164-01-023, GREENFIELDS, AS RECORDED IN PLAT BOOK G, PAGE 90  
 ORANGE COUNTY, FLORIDA

Note: Property Boundary Lines are from Orange County GIS data and are approximate.

AP 1001902  
 07-24-2001  
 1001902/01



PAGE AVE

### LEGEND

- TB- TOP OF BERM
- W- WATER EDGE
- TS- TAC OF SLOPE
- O- OVERFLOW
- C- CLEAROUT
- S- SUN
- U- UTILITY POLE
- I- INLET
- G- GATE
- E- EPIPE
- M- MITER END
- W- WEIR
- T- TREE LINE
- D- DRAIN. MH
- S- SAINT. MH
- M- MISC. MH
- C- CNTY FENCE
- O- OTHER FENCE

0 25 50 75  
 SCALE IN FEET






# RETENTION POND SUMMARY REPORT

Pond 6244 TEXAS AVE., W. OF RIO GRANDE AVE.



POND 6244- TEXAS AVENUE- ORLANDO  
LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 3423, PAGE 2313  
ORANGE COUNTY, FLORIDA



POND 6244- RETENTION POND

- LEGEND-----
- |                                |                        |
|--------------------------------|------------------------|
| Δ = DELTA                      | ⊙ = STORM MANHOLE      |
| L = LENGTH                     | ⊙ = SANITARY MANHOLE   |
| R = RADIAL/ RADIUS             | ⊙ = TELEPHONE PEDISTAL |
| NR = NON-RADIAL                | ⊙ = POWER POLE         |
| TOB = TOP OF BANK              | ⊙ = GUY WIRE           |
| TOE = TOE OF BANK              | ⊙ = WATER VALVE        |
| (P) = PLAT                     | ⊙ = WATER METER        |
| (D) = DEED                     | ⊙ = SIGN               |
| RCP = REINFORCED CONCRETE PIPE | ⊙ = COUNTY FENCE       |
|                                | ⊙ = OTHER FENCE        |
|                                | -W-W- = WATER LINE     |

POND #6244

**Berryman  
Henigar**

FDEP Permit No.:

SFWMD Permit No.:

SJWMD Permit No.:

Fenced: CNTY

NHW EI: N/L

Ctrl EI: 96.00

Weir EI: N/L

Bleeder EI: N/L

Side Slope: 2:1

R/W: Yes

Berm Width: 9'

Carp: No

Underdrain: No

Land Locked: Yes

Positive Yes (Lake Outfall: Buchanan)

Liner Type: N/A

Grass Type: Bahia

Pond Completion Date: 1979

N/L= Not located

**Pond Access:**

From the intersection of I-4 and S. Rio Grande Ave., drive south on Rio Grande Ave. for approximately 0.6 miles. Turn right (west) onto S. Texas Ave. and continue for approximately 0.25 miles. The pond is located on the left (south) side of the road, just adjacent to Lake Buchanan.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance Δ  
Clogging Tendency  
Spraying Frequency Δ  
Accessibility ☆  
○ Low Δ Med ☆ High

**POND LOCATION**

Comm. Distr.: 6  
Maint Dist.: John Young  
Locale: SW  
S.T.R. : 10-23-29-SW  
Pb/Pg: See below  
O.R.: 3423/2313  
Total Area: 0.84 ac.

spray .40 ac

Northing: 1,514,689  
Easting: 525,933  
Latt: 28°29'59.797"  
Long: 81°24'19.698"

Pond 6244

# RETENTION POND SUMMARY REPORT

Pond 6249 EVANS VILLAGE, UT. 2, BLOCK H



FDEP Permit No.: N/A

SFWMD Permit No.: N/A

**SJWMD** Permit No.: N/A

Fenced: Complete

NHW EI: N/A

Ctrl EI: N/A

Weir EI: N/A

Bleeder EI: N/A

Side Slope: 2:1

R/W: No

Berm Width: 12'

Carp: No

Underdrain: No

Land Locked: No

Positive Outfall: Lake Lawne

Liner Type: N/A

Grass Type: Bahia

Pond Completion Date: N/A

Note: Pond area can be accessed through unopened road r.o.w & O.C Park & Rec property.

### Pond Access:

From the intersection of Silver Star Rd and N Pine Hills Rd, drive South on N Pine Hills Rd for miles to Golf Club Pkwy. Turn left (East) onto Golf Club Pkwy. Drive 0.29 miles to the Pond Access at the dead end. Pond is to the Northeast behind homes.



### TYPE OF POND

Wet Pond  
Dry Pond

### CLASSIFICATION

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

### EMERGENCY PRIORITY

High  
Medium  
Low

### MAINTENANCE REQUIREMENTS

Mowing Cycle  
Debris Tolerance ★  
Clogging Tendency  
Spraying Frequency △  
Accessibility ○  
○ Low △ Med ★ High

### POND LOCATION

Comm. Distr.: 6

Maint Dist.: John Young

Locale: NW

S.T.R. : 18-22-29-SE

Pb/Pg: X/125

O.R.: 3183/2809

Total Area: 0.46 ac.

spray .10 ac


Northing: 1,539,532

Easting: 512,589

Latt: 28° 34' 5.30"N

Long: 81° 26' 50.29"W

**Pond 6249**




# RETENTION POND SUMMARY REPORT

Pond 6252 HAWTHORNE VILLAGE, W. OF PARK AVE.



POND 6252- HAWTHORNE VILLAGE, WEST OF PARK AVENUE  
LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 3230, PAGE 1  
ORANGE COUNTY, FLORIDA



POND 6252- RETENTION AREA

- LEGEND
- Δ = DELTA
  - L = LENGTH
  - R = RADIAL/ RADIUS
  - NR = NON-RADIAL
  - TOB = TOP OF BANK
  - TOE = TOE OF BANK
  - (P) = PLAT
  - (D) = DEED
  - RCP = REINFORCED CONCRETE PIPE
  - ⊙ = STORM MANHOLE
  - ⊕ = SANITARY MANHOLE
  - ⊕ = TELEPHONE PEDESTAL
  - ⊕ = POWER POLE
  - ⊕ = GUY WIRE
  - ⊕ = WATER VALVE
  - ⊕ = WATER METER
  - ⊕ = SIGN
  - ⊕ = COUNTY FENCE
  - ⊕ = OTHER FENCE
  - W-W- = WATER LINE



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.:  X

Fenced:  CNTY

NHW EI:  N/L

Ctrl EI:  N/L

Weir EI:  N/L

Bleeder EI:  N/L

Side Slope:  4:1

R/W:  Yes

Berm Width:  None

Carp:  No

Underdrain:  No

Land Locked:  N/L

Positive Outfall:  N/L

Liner Type:  N/L

Grass Type:  Bahia

Pond Completion Date:  N/L

N/L= Not located

**Pond Access:**

From the intersection of Ocoee Apopka Rd. and State Road 429, drive northeast on Ocoee Apopka Rd. for approximately 0.2 miles. Turn right (east) onto W. 13th St. and continue for 0.5 miles. Turn right (south) onto S. Washington Ave. and drive for approximately 600'. The pond is located on the left (east) side of the road, just across the intersection of S. Washington Ave. and W.15th St.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

○ Low △ Med ☆ High

**POND LOCATION**

Comm. Distr.:  2

Maint Dist.:  Apopka

Quadrant:  NW

S.T.R. :  16 - 21 - 28

Pb/Pg:  See below

O.R.:  3230/1

Total Area:  2.67 ac.

**spray .46 ac**

Northing:  1,573,250

Easting:  490,977

Lat:  28°39'38.271"

Long:  81°30'54.316"


**Pond 6252**

# RETENTION POND SUMMARY REPORT

Pond 6257 EAST POINTE INDUSTRIAL PARK, W. OF FORSYTH RD.



POND 6257- EASTPOINT INDUSTRIAL PARK, WEST OF FORSYTH ROAD  
200' DRAINAGE EASEMENT, EASTPOINT INDUSTRIAL PARK,  
AS RECORDED IN PLAT BOOK 12, PAGE 20, ORANGE COUNTY, FLORIDA



POND 6257- 200' DRAINAGE EASEMENT

- LEGEND —
- Δ = DELTA
  - L = LENGTH
  - R = RADIAL/ RADIUS
  - NR = NON-RADIAL
  - TOB = TOP OF BANK
  - TOE = TOE OF BANK
  - (P) = PLAT
  - (D) = DEED
  - RCP = REINFORCED CONCRETE PIPE
  - ⊗ = STORM MANHOLE
  - ⊙ = SANITARY MANHOLE
  - ⊕ = TELEPHONE PEDESTAL
  - ⊖ = POWER POLE
  - ⊗ = GUY WIRE
  - ⊙ = WATER VALVE
  - ⊕ = WATER METER
  - ⊖ = SIGN
  - ⊗ = COUNTY FENCE
  - ⊙ = OTHER FENCE
  - W-W- = WATER LINE

POND #6257



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

**SJWMD Permit No.:** \_\_\_\_\_

Fenced: CNTY

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: 4:1

R/W: No

Berm Width: 11'

Carp: N/L

Underdrain: No

Land Locked: N/L

Positive Outfall: Wetland to E-3 Canal

Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: N/L

N/L= N/L

**Pond Access:**

From the intersection of N. Goldenrod Rd. and University Blvd., drive west on University Blvd. for approximately 0.75 miles. Turn left (south) onto N. Forsyth Rd. and continue for 0.7 miles. Turn right (west) onto Stapoint Ct. and continue 0.25 miles until the end of the cul-de-sac. The pond is located 300' to the south of end of Stapoint Ct, behind building 6802.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance ☆  
Clogging Tendency  
Spraying Frequency △  
Accessibility ☆  
○Low △Med ☆High

**POND LOCATION**

Comm. Distr.: 5  
Maint Dist.: Goldenrod  
Locale: NE  
S.T.R. : 10-22-30-SE

Pb/Pg: 12/ 20  
O.R.: 3165/985  
Total Area: 2.81 ac.


**spray 1.15 ac**

Northing: 1,546,018  
Easting: 560,947  
Latt: 28°35'11.003"  
Long: 81°17'48.122"

**Pond 6257**

# RETENTION POND SUMMARY REPORT

## Pond 6270 ANDERSON HEIGHTS, W. OF CONWAY GARDENS RD.



POND 6270- RETENTION AREA

<p>LEGEND</p> <p>A = DELTA</p> <p>L = LENGTH</p> <p>R = RADIAL/ RADIUS</p> <p>NR = NON-RADIAL</p> <p>TOB = TOP OF BANK</p> <p>TCE = TOE OF BANK</p> <p>(P) = PLAT</p> <p>(D) = DEED</p> <p>ROP = REINFORCED CONCRETE PIPE</p>		<p>⊙ = STORM MANHOLE</p> <p>⊙ = SANITARY MANHOLE</p> <p>⊙ = TELEPHONE PEDESTAL</p> <p>⊙ = POWER POLE</p> <p>⊙ = GUY WIRE</p> <p>⊙ = WATER VALVE</p> <p>⊙ = WATER METER</p> <p>⊙ = SIGN</p> <p>⊙ = COUNTY FENCE</p> <p>⊙ = OTHER FENCE</p> <p>-W-W- = WATER LINE</p>	
---	--	---	--



FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: \_\_\_\_\_

Fenced: PRVT Part.

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: Varies

R/W: Yes

Berm Width: None

Carp: Yes

Underdrain: No

Land Locked: No

Positive Outfall: Lake Anderson

Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: N/L

N/L = Not located

**Pond Access:**

From the intersection of Lake Margaret Dr. and Conway Rd., drive south on Conway Rd. for approximately 0.25 miles. Turn right (west) onto Anderson Rd. and continue for 0.5 miles. The pond is located on the right (north) side of the road, 500' after the intersection of Lake Anderson Rd. with Anderson Rd.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle \_\_\_\_\_

Debris Tolerance  Star

Clogging Tendency \_\_\_\_\_

Spraying Frequency  Triangle

Accessibility  Star

Low  Med  High

**POND LOCATION**

Comm. Distr.: 4

Maint Dist.: 3 Points

Locale: SE

S.T.R. : 08-23-30-NW

Pb/Pg: 3/ 130

O.R.: See above

**Total Area:** 1.40 ac.

spray .64 ac

**Northing:** 1,515,529

**Easting:** 547,732


**Latt:** 28°30'08.777"

**Long:** 81°20'15.399"

**Pond 6270**

# RETENTION POND SUMMARY REPORT

Pond 6285 DEVCO OF ORLANDO, CURRY FORD RD. EAST OF BUMBY AVE.



POND 6285- RETENTION AREA

- LEGEND
- A = DELTA
  - L = LENGTH
  - R = RADIAL/ RADIUS
  - NR = NON-RADIAL
  - TOB = TOP OF BANK
  - TOE = TOE OF BANK
  - (P) = PLAT
  - (D) = DEED
  - RCP = REINFORCED CONCRETE PIPE
  - SM = STORM MANHOLE
  - SHM = SANITARY MANHOLE
  - TP = TELEPHONE PEDESTAL
  - PP = POWER POLE
  - GW = GUY WIRE
  - WV = WATER VALVE
  - WM = WATER METER
  - S = SIGN
  - X-X- = COUNTY FENCE
  - o-o- = OTHER FENCE
  - W-W- = WATER LINE



FDEP Permit No.:

SFWMD Permit No.:

**SJWMD Permit No.:**

Fenced: CNTY

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: Varies

R/W: Yes

Berm Width: 6'

Carp: No

Underdrain: N/L

Land Locked: Yes

Positive Outfall: DW 102

Liner Type: N/L

Grass Type: Bahia

Pond Completion Date: N/L

N/L = Not located

**Pond Access:**  
From the intersection of S. Bumby Ave. and Curry Ford Rd., drive east on Curry Ford Rd. for approximately 800'. The pond is located on the right (south) side of the road, 100' after the intersection of Clark St. with Curry Ford Rd.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle  
Debris Tolerance ☆  
Clogging Tendency  
Spraying Frequency △  
Accessibility ☆

○ Low △ Med ☆ High

**POND LOCATION**

Comm. Distr.: 4  
Maint Dist.: 3 Points  
Locale: SE  
S.T.R. : 06-23-30-NE

Pb/Pg: 5/ 105  
O.R.: 3315/528

Total Area: 5.11 ac.

**spray 3.11 ac**

Northing: 1,523,370

Easting: 543,736


Lat: 28°31'26.302"

Long: 81°21'00.442"

**Pond 6285**

# RETENTION POND SUMMARY REPORT

Pond 6288 MINNESOTA AVE., W. OF ORLANDO AVE.



POND 6288- MINNESOTA AVENUE, WEST OF ORLANDO AVENUE  
LANDS DESCRIBED IN OFFICIAL RECORDS BOOK 185, PAGE 589  
ORANGE COUNTY, FLORIDA

## TYPE OF POND

Wet Pond  
Dry Pond

## CLASSIFICATION

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

## EMERGENCY PRIORITY

High  
Medium  
Low

## MAINTENANCE REQUIREMENTS

Mowing Cycle  
Debris Tolerance  
Clogging Tendency  
Spraying Frequency  
Accessibility

○ Low △ Med ☆ High

## POND LOCATION

Comm. Distr.: 5

Maint Dist.: Goldenrod

Quadrant: NE

S.T.R. : 12 - 22 - 29

Pb/Pg: See below

O.R.: 165/569

Total Area: 2.15  
0.87 ac.

**spray .41 ac**  
Northing: 1,547,504

Easting: 537,721

Latt: 28°35'25.070"

Long: 81°22'08.712"

Pond 6288

FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

SJWMD Permit No.: X

Fenced: CNTY

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: Varies

R/W: Yes

Berm Width: 3'

Carp: No

Underdrain: No

Land Locked: No

Positive Outfall: DWO 3K  
Lk. Kilarney

Liner Type: N/L


Grass Type: St. Aug.

Pond Completion Date: N/L

N/L = Not located

### Pond Access:

From the intersection of I-4 and W. Fairbanks Ave., drive east on W. Fairbanks Ave. for approximately 0.75 miles. Turn right (south) onto Nicolet Ave. and continue for 0.25 miles. Turn left (east) onto Minnesota Ave. and drive for 250'. The pond is located on the left (north) side of the road, 100' after the intersection of Wisconsin Ave. with Minnesota Ave.



NOTE: POND 6041- PARCEL ID 03-21-28-0000-00-075 AS SHOWN ON ORANGE COUNTY GIS MAP.

PARCEL ID 12-22-29-0000-00-049

PARCEL ID 12-22-29-0004-08-030

PARCEL ID 12-22-29-0004-08-030

MINNESOTA AVENUE

Edge of Road

POND #6288


Berryman Henegar

**LEGEND**

Δ = DELTA	⊙ = STORM MANHOLE
L = LENGTH	⊙ = SANITARY MANHOLE
R = RADIAL/ RADIUS	⊙ = TELEPHONE PEDESTAL
NR = NON-RADIAL	⊙ = POWER POLE
TOB = TOP OF BANK	⊙ = GUY WIRE
TOE = TOE OF BANK	⊙ = WATER VALVE
(P) = PLAT	⊙ = WATER METER
(D) = DEED	⊙ = SIGN
RCP = REINFORCED CONCRETE PIPE	-x-x- = COUNTY FENCE
	-o-o- = OTHER FENCE
	-W-W- = WATER LINE

6301 All American Blvd  
.13 ac



AP





# RETENTION POND SUMMARY REPORT

Pond 6406 UNIVERSITY BLVD #4, E. OF GOLDENROD RD. (SR551)



POND 6406- RETENTION POND

-----LEGEND-----	
<ul style="list-style-type: none"> <li>Δ = DELTA</li> <li>L = LENGTH</li> <li>R = RADIAL/ RADIUS</li> <li>NR = NON-RADIAL</li> <li>TOB = TOP OF BANK</li> <li>TOE = TOE OF BANK</li> <li>(P) = PLAT</li> <li>(D) = DEED</li> <li>RCP = REINFORCED CONCRETE PIPE</li> </ul>	<ul style="list-style-type: none"> <li>⊙ = STORM MANHOLE</li> <li>⊙ = SANITARY MANHOLE</li> <li>⊙ = TELEPHONE PEDISTAL</li> <li>⊙ = POWER POLE</li> <li>⊙ = GUY WIRE</li> <li>⊙ = WATER VALVE</li> <li>⊙ = WATER METER</li> <li>⊙ = SIGN</li> <li>-X-X- = COUNTY FENCE</li> <li>-o-o- = OTHER FENCE</li> <li>-W-W- = WATER LINE</li> </ul>

POND #6406

**Berryman Henigar**

FDEP Permit No.: \_\_\_\_\_

SFWMD Permit No.: \_\_\_\_\_

**SJWMD Permit No.:** \_\_\_\_\_

Fenced: CNTY

NHW EI: N/L

Ctrl EI: N/L

Weir EI: N/L

Bleeder EI: N/L

Side Slope: None

R/W: Yes

Berm Width: 4'

Carp: No

Underdrain: Yes

Land Locked: Yes

Positive Outfall: Yes (WRA)

Liner Type: N/A

Grass Type: Bahia

Pond Completion Date: N/L

N/L= Not located

**Pond Access:**  
From the intersection of University Blvd. and N. Goldenrod Rd. (SR551), drive east on University Blvd. for approximately 0.4 miles. The pond is located on the north (left) side of the road 725' after the intersection of University Blvd. and Lake Mirage Blvd.



**TYPE OF POND**

Wet Pond  
Dry Pond

**CLASSIFICATION**

MSTU  
Non-MSTU  
Home Owners  
Comm/Residential

**EMERGENCY PRIORITY**

High  
Medium  
Low

**MAINTENANCE REQUIREMENTS**

Mowing Cycle \_\_\_\_\_

Debris Tolerance ☆

Clogging Tendency \_\_\_\_\_

Spraying Frequency △

Accessibility ☆

○Low △Med ☆High

**POND LOCATION**

Comm. Distr.: 5

Maint Dist.: Goldenrod

Locale: NE

S.T.R. : 02-22-30-SE

Pb/Pg: See below

O.R.: 3519/2578

Total Area: 0.98 ac.

spray area .04ac

Northing: 1,550,096

Easting: 565,868

Latt: 28°35'51.498"

Long: 81°16'53.032"

**Pond 6406**